THE FLOW OF WEIGHTS ON FACTORS OF TYPE III

Alain Connes and Masamichi Takesaki*

(Received February 6, 1976)

Contents

Chapter 0. Introduction and Preliminary473
Chapter I. The Global Flow of Weights
I.0. Introduction
I.1. Elementary Comparison of Weights
I.2. The Global Flow of Weights on Factors of Type III _{λ} , $\lambda \neq 1486$
Chapter II. Integrable Weights on Factors of Type III494
II.0. Introduction
II.1. Dominant Weights
II.2. Integrable Weights and the Smooth Flow of Weights500
II.3. Computation of the Smooth Flow of Weights (1)505
II.4. Regularization of Weights of Infinite Multiplicity508
II.5. Relative Commutant Theorem
II.6. Computation of the Smooth Flow of Weights (2)
Chapter III. Non-Abelian Cohomology in Properly Infinite von
Neumann Algebras524
III.0. Introduction
III.1. Elementary Properties of Twisted *-Representation
III.2. Tensor Product and Integrability of Twisted
*-Representations
III.3. Integrable Actions Duality and Invariant Γ
III.4. Galois Correspondence
III.5. Stability of Automorphisms
Chapter IV. The Flow of Weights and the Automorphism Group
of a Factor of type III548
IV.0. Introduction
IV.1. The Fundamental Homomorphism549
IV.2. The Extended Modular Automorphism Groups556
IV.3. The Exact Sequence for the Group of all Automorphisms,,558

Introduction. The recent developments in the theory of operator algebras showed the importance of the study of weights. A weight φ on a von Neumann algebra M is a linear map from M_+ to $[0, +\infty]$; φ is faithful if $\varphi(x) = 0$ implies x = 0, normal if it commutes with the sup operation, semi-finite when $\varphi(x) < +\infty$ on a σ -strongly dense subset of M_+ . Throughout this paper, a weight means a semi-finite normal one.

^{*} This work was supported in part by NSF Grant, and accomplished while a Guggenheim Fellow.