NEVANLINNA THEORY AND HOLOMORPHIC MAPPINGS BETWEEN ALGEBRAIC VARIETIES

 $\mathbf{B}\mathbf{Y}$

PHILLIP GRIFFITHS and JAMES KING (1)

 $Harvard\ University,\ Cambridge,\ Mass.\ 02138,\ USA\ and\ M.I.T.,\ Cambridge,\ Mass.\ 02139,\ USA$

Table of Contents

ΙN	TRODUCTION
0.	Notations and terminology
	(a) Divisors and line bundles
	(b) The canonical bundle and volume forms
	(c) Differential forms and currents (terminology)
1.	Differential forms, currents, and analytic cycles 157
	(a) The Poincaré equation and its globalization
	(b) The Poincaré equation for vector-valued functions $\dots \dots \dots$
	(c) Globalization of the Martinelli equation
	(d) Lelong numbers
2.	Special exhaustion functions on algebraic varieties
	(a) Definition and some examples
	(b) Construction of a special exhaustion function
	(c) Some properties of the projection (2.5)
3.	Some integral formulas and applications
	(a) Jensen's theorem
	(b) The Nevanlinna characteristic function
	(c) Jensen's theorem for vector-valued functions
4.	Conditions that a divisor be algebraic
5.	The order function for holomorphic mappings
	(a) Definition and basic properties

⁽¹⁾ Supported in part by National Science Foundation Grant GP-7952X3.

^{10 – 732905} Acta mathematica 130. Imprimé le 11 Mai 1973