

REFERENCES

1. R. Bellman, R. Kalaba and L. A. Zadeh, *Abstraction and pattern classification*, J. Math. Anal. Appl. **13** (1966), 1-7.
2. J. A. Goguen, *L-fuzzy sets*, J. Math. Anal. Appl. **18** (1967), 145-174.
3. F. W. Lawvere, *An elementary theory of the category of sets*, Proc. Nat. Acad. Sci. U.S.A. **52** (1964), 1506-1511.
4. D. Scott and R. Solovay, *Boolean valued models for set theory* (to appear).
5. L. A. Zadeh, *Fuzzy sets*, Information and Control **8** (1965), 338-353.

UNIVERSITY OF CHICAGO, CHICAGO, ILLINOIS 60637

ERRATUM

Volume 75

Y.-T. Siu, *Extending coherent analytic sheaves through subvarieties*, pp. 123-126.

Page 125:

Line 3. $\tilde{\theta}^p/\tilde{f}^p$ should read $\tilde{\theta}^p/f\tilde{\theta}^p$.

Line 9. $\alpha(t_m^t) = s_m^t$ should read $\alpha(t_m^t) = s_m^t - \sum_{q=1}^{m-1} a_q s_q^{(q)}$.

Line 10 from bottom. \mathbf{C}^N should read \mathbf{C}^n .