PROCEEDINGS AT THE 867TH GENERAL MEETING

The 867th General Meeting of the Academy was held on Friday, March 12, 1993, at 1:00 p.m., Dr. Yoshitaro WAKIMURA, President, taking the chair. Seventy-seven members were present, and the following communication were made:

| Passenger class distinctions of the victorian railways |
|---|
| Macromolecular recognition. Formation of inclusion complexes of polymers with cyclodextrins |
| Interaction of a fusogenic liposome with HeLa cell |
| OKUMURA, Masahiro YAMAUCHI, Minoru YAMAMOTO, and Junzo SUNAMOTO |
| Above two, communicated by Seizo OKAMURA, M. J. A. |
| Technical studies on the white-glazed sherds excavated from the archaeological site, A'Ali in Bahrain |
| KOEZUKA, Shiji NINOMIYA, Masumi OSAWA, and Kazuo YAMASAKI, M. J. A. |
| An experimental method for studying thermal transport in condensed matter |
| Yosio Hiki, Haruyuki Takahashi, and Yoshiaki Kogure |
| Communicated by Ryukiti Hasiguti, M. J. A. |
| Stereocontrolled introduction of deuterium atoms into a phytoalexin elicitor- |
| active eta -D-Glucohexaoside |
| Namgi Hong, Yoshiaki Nakahara, and Tomoya Ogawa |
| Synthesis of blattellastanoside A, a steroid glucoside isolated as the aggregation |
| pheromone of the German cockroach Kenji Mori and Kunio Fukamatsu |
| Above two, communicated by Masanao Matsui, m. J. A. |
| Orders in quadratic fields. I |
| Shifted divisor problem and random divisor problem Masumi NAKAJIMA |
| A generalization of Tate-Nakayama theorem by using hypercohomology |
| Above three, communicated by Shokichi IYANAGA, M. J. A. |
| On non-starlikeness of Teichmüller spaces |
| Some generalizations of the unicity theorem of Nevanlinna Nobushige ToDA |
| New criteria for multivalent meromorphic starlike functions of order alpha |
| • |
| M. K. Aouf Periodic solutions of the 2-dimensional heat convection equations Kazuo Ōeda |
| A continuation principle for the 3-D Euler equations for incompressible fluids in a |
| bounded domain |
| |
| Above five, communicated by Kiyosi Itô, M. J. A. |
| Unique fatty acids of <i>Helicobacter pylori</i> are methoxy fatty acids |
| HAMANAKA, Shigemi Ariyama, Tadayoshi, Takemoto, and Kiwamu Okita |
| Communicated by Tamio Yamakawa, M. J. A. |
| Additivity of the sliding velocity of Acto-H-meromyosin in vitro driven by ATP |
| and GTP |
| Communicated by Setsuro Ebashi, M. J. A. |
| Communicated by Devour O Librari, M. J. A. |

After a recess during which the members present met in their respective Sections, the General Meeting was resumed for business transactions.

First, the President announced that Dr. Kisaburo Yokota, M. J. A., had