

THE ANNALS *of* STATISTICS

AN OFFICIAL JOURNAL OF THE
INSTITUTE OF MATHEMATICAL STATISTICS

Articles appearing in *The Annals of Statistics* (volumes 1–17) are indexed in the *Cumulative Index to IMS Scientific Journals*, available from the Institute of Mathematical Statistics.

VOLUME 19

1991

CONTENTS OF VOLUME 19

Wald Lectures, Invited Paper, Articles and Short Communications

ALBERS, WILLEM. Second order analysis of two-stage rank tests for the one-sample problem	1042-1052
ALVO, M. AND CABILIO, P. On the balanced incomplete block design for rankings	1597-1613
AMARI, SHUN-ICHI, TAKEUCHI, KEI AND OKAMOTO, ICHI. Asymptotic theory of sequential estimation: Differential geometrical approach	961-981
ARCONES, MIGUEL A. AND GINÉ, EVARIST. Some bootstrap tests of symmetry for univariate continuous distributions	1496-1511
BAI, Z. D. AND RAO, C. RADHAKRISHNA. Edgeworth expansion of a function of sample means	1295-1315
BAILEY, R. A. AND CHENG, C.-S. Optimality of some two-associate-class partially balanced incomplete-block designs	1667-1671
BARINGHAUS, LUDWIG. Testing for spherical symmetry of a multivariate distribution	899-917
BARRON, ANDREW R. AND SHEU, CHYONG-HWA. Approximation of density functions by sequences of exponential families	1347-1369
BARRON, ANDREW R. AND XIAO, XIANGYU. Discussion of "Multivariate adaptive regression splines" by J. H. Friedman	67-82
BASAWA, I. V., HUGGINS, R. M. AND SRIRAM, T. N. Sequential estimation for branching processes with immigration	2232-2243
BASAWA, I. V., MALLIK, A. K., MCCORMICK, W. P., REEVES, J. H. AND TAYLOR, R. L. Bootstrapping unstable first-order autoregressive processes	1098-1101
BASSIAKOS, YIANNIS, LO, SHAW-HWA AND MENG, XIAO-LI. Large-sample properties for a general estimator of the treatment effect in the two-sample problem with right censoring	1786-1812
BERTI, PATRIZIA, REGAZZINI, EUGENIO AND RIGO, PIETRO. Coherent statistical inference and Bayes theorem	366-381
BHANSALI, R. J. AND PAPANGELOU, F. Convergence of moments of least squares estimators for the coefficients of an autoregressive process of unknown order	1155-1162
BICKEL, PETER J. AND RITOV, J. Large sample theory of estimation in biased sampling regression models. I	797-816
BICKEL, PETER J., RITOV, YA'ACOV AND WELLNER, JON A. Efficient estimation of linear functionals of a probability measure P with known marginal distributions	1316-1346
BRANDWEIN, ANN COHEN AND STRAWDERMAN, WILLIAM E. Generalizations of James-Stein estimators under spherical symmetry	1639-1650
BREIMAN, LEO. Discussion of "Multivariate adaptive regression splines" by J. H. Friedman	82-91

BROWN, LAWRENCE D. AND HWANG, JIUNN T. Estimated confidence under the validity constraint	1964–1977
BROWN, LAWRENCE D. AND LOW, MARK G. Information inequality bounds on the minimax risk (with an application to nonparametric regression)	329–337
BRUNK, H. D. Fully coherent inference	830–849
BUCKLEW, J. A. AND NEY, P. E. Asymptotically optimal hypothesis testing with memory constraints	982–998
BUJA, ANDREAS, DUFFY, DIANE, HASTIE, TREVOR AND TIBSHIRANI, ROBERT. Discussion of “Multivariate adaptive regression splines” by J. H. Friedman	93–99
BURMAN, PRABIR. Rates of convergence for the estimates of the optimal transformations of variables	702–723
CABILLO, P. AND ALVO, M. On the balanced incomplete block design for rankings	1597–1613
CALVIN, JAMES A. AND DYKSTRA, RICHARD L. Maximum likelihood estimation of a set of covariance matrices under Löwner order restrictions with applications to balanced multivariate variance components models	850–869
CAO-ABAD, R. Rate of convergence for the wild bootstrap in nonparametric regression	2226–2231
CARROLL, RAYMOND J. AND STEFANSKI, LEONARD A. Deconvolution-based score tests in measurement error models	249–259
CASELLA, GEORGE AND GOUTIS, CONSTANTINOS. Improved invariant confidence intervals for a normal variance	2015–2031
CHANG, I-SHOU AND HSIUNG, CHAO A. An E -ancillarity projection property of Cox’s partial score function	1651–1660
CHAUDHURI, PROBAL. Nonparametric estimates of regression quantiles and their local Bahadur representation	760–777
CHEN, HUNG. Estimation of a projection-pursuit type regression model	142–157
CHEN, JIAHUA AND WU, C. F. J. Some results on s^{n-k} fractional factorial designs with minimum aberration or optimal moments	1028–1041
CHEN, ZEHUA. Interaction spline models and their convergence rates	1855–1868
CHENG, C.-S. AND BAILEY, R. A. Optimality of some two-associate-class partially balanced incomplete-block designs	1667–1671
CHIU, SHEAN-TSONG. Bandwidth selection for kernel density estimation	1883–1905
CHIU, SHEAN-TSONG. Some stabilized bandwidth selectors for nonparametric regression	1528–1546
CHOU, JINE-PHONE. Simultaneous estimation in discrete multivariate exponential families	314–328
CHOW, MO-SUK AND YU, QIQING. Minimality of the empirical distribution function in invariant estimation	935–951

CHU, C.-K. AND MARRON, J. S. Comparison of two bandwidth selectors with dependent errors	1906–1918
COMETS, FRANCIS AND GIDAS, BASILIS. Asymptotics of maximum likelihood estimators for the Curie–Weiss model	557–578
COX, DENNIS D. Gaussian likelihood estimation for nearly non-stationary AR(1) processes	1129–1142
COX, DENNIS D. AND LLATAS, ISABEL. Maximum likelihood type estimation for nearly nonstationary autoregressive time series	1109–1128
CSISZÁR, IMRE. Why least squares and maximum entropy? An axiomatic approach to inference for linear inverse problems	2032–2066
CSÖRGŐ, MIKLÓS, GOMBAY, EDIT AND HORVÁTH, LAJOS. Central limit theorems for L_p distances of kernel estimators of densities under random censorship	1813–1831
DASGUPTA, ANIRBAN. Diameter and volume minimizing confidence sets in Bayes and classical problems	1225–1243
DASGUPTA, A. AND STUDDEN, W. J. Robust Bayesian experimental designs in normal linear models	1244–1256
DATTA, GAURI SANKAR AND GHOSH, MALAY. Bayesian prediction in linear models: Applications to small area estimation	1748–1770
DATTA, SOMNATH. Asymptotic optimality of Bayes compound estimators in compact exponential families	354–365
DATTA, SOMNATH. On the consistency of posterior mixtures and its applications	338–353
DE JONG, PIET. The diffuse Kalman filter	1073–1083
DEAN, A. M. AND LIN, MEILY. Trend-free block designs for vari-etal and factorial experiments	1582–1596
DHAR, SUNIL K. Minimum distance estimation in an additive effects outliers model	205–228
DiCICCIO, THOMAS, HALL, PETER AND ROMANO, JOSEPH. Empirical likelihood is Bartlett-correctable	1053–1061
DONOHU, DAVID L. AND LIU, RICHARD C. Geometrizing rates of convergence, II	633–667
DONOHU, DAVID L. AND LIU, RICHARD C. Geometrizing rates of convergence, III	668–701
DUAN, NAIHUA AND LI, KER-CHAU. Slicing regression: A link-free regression method	505–530
DUFFY, DIANE, HASTIE, TREVOR, TIBSHIRANI, ROBERT AND BUJA, ANDREAS. Discussion of “Multivariate adaptive regression splines” by J. H. Friedman	93–99
DÜMBGEN, L. The asymptotic behavior of some nonparametric change-point estimators	1471–1495
DYKSTRA, RICHARD L. AND CALVIN, JAMES A. Maximum likelihood estimation of a set of covariance matrices under Löwner order restrictions with applications to balanced multivariate variance components models	850–869

DYKSTRA, RICHARD, KOCHAR, SUBHASH AND ROBERTSON, TIM. Statistical inference for uniform stochastic ordering in several populations	870-888
EATON, MORRIS L. AND TYLER, DAVID E. On Wielandt's inequality and its application to the asymptotic distribution of the eigenvalues of a random symmetric matrix	260-271
EL-KRUNZ, SADI M. AND STUDDEN, W. J. Bayesian optimal designs for linear regression models	2183-2208
ELLIS, STEVEN P. The singularities of fitting planes to data	1661-1666
EVANS, M. Chaining via annealing	382-393
FALK, MICHAEL AND KAUFMANN, EDGAR. Coverage probabilities of bootstrap-confidence intervals for quantiles	485-495
FAN, JIANQING. On the estimation of quadratic functionals	1273-1294
FAN, JIANQING. On the optimal rates of convergence for non-parametric deconvolution problems	1257-1272
FELDMAN, ISRAEL. Constrained minimax estimation of the mean of the normal distribution with known variance	2259-2265
FENECH, ALAN P. AND HARVILLE, DAVID A. Exact confidence sets for variance components in unbalanced mixed linear models .	1771-1785
FOSTER, DEAN P. Prediction in the worst case	1084-1090
FRANCISCO, CAROL A. AND FULLER, WAYNE A. Quantile estimation with a complex survey design	454-469
FRIEDMAN, JEROME H. Multivariate adaptive regression splines .	1-67
FRIEDMAN, JEROME H. Rejoinder	123-141
FULLER, WAYNE A. AND FRANCISCO, CAROL A. Quantile estimation with a complex survey design	454-469
FULLER, WAYNE A. AND NAGARAJ, NEERCHAL K. Estimation of the parameters of linear time series models subject to nonlinear restrictions	1143-1154
GEORGE, EDWARD I. Shrinkage domination in a multivariate common mean problem	952-960
GHOSH, B. K. AND HUANG, WEI-MIN. The power and optimal kernel of the Bickel-Rosenblatt test for goodness of fit	999-1009
GHOSH, MALAY AND DATTA, GAURI SANKAR. Bayesian prediction in linear models: Applications to small area estimation	1748-1770
GIDAS, BASILIS AND COMETS, FRANCIS. Asymptotics of maximum likelihood estimators for the Curie-Weiss model	557-578
GIJBELS, IRÈNE AND VERAVERBEKE, NOËL. Almost sure asymptotic representation for a class of functionals of the Kaplan-Meier estimator	1457-1470
GILULA, ZVI AND RITOV, YA'ACOV. The order-restricted RC model for ordered contingency tables: Estimation and testing for fit	2090-2101
GINÉ, EVARIST AND ARCONES, MIGUEL A. Some bootstrap tests of symmetry for univariate continuous distributions	1496-1511

GIRARD, DIDIER A. Asymptotic optimality of the fast randomized versions of GCV and C_L in ridge regression and regularization	1950–1963
GOLDSTEIN, MICHAEL. Belief transforms and the comparison of hypotheses	2067–2089
GOLUBEV, GEORGE K. AND HASMINSKII, RAFAEL Z. Discussion of “Multivariate adaptive regression splines” by J. H. Friedman	91–92
GOMBAY, EDIT, HORVÁTH, LAJOS AND CSÖRGŐ, MIKLÓS. Central limit theorems for L_p distances of kernel estimators of densities under random censorship	1813–1831
GOUTIS, CONSTANTINOS AND CASELLA, GEORGE. Improved invariant confidence intervals for a normal variance	2015–2031
GRAUBARD, BARRY I. AND KORN, EDWARD L. A note on the large sample properties of linearization, jackknife and balanced repeated replication methods for stratified samples	2275–2279
GU, CHONG AND WAHBA, GRACE. Discussion of “Multivariate adaptive regression splines” by J. H. Friedman	115–123
GU, MING GAO AND LAI, TZE LEUNG. Weak convergence of time-sequential censored rank statistics with applications to sequential testing in clinical trials	1403–1433
HAFF, L. R. The variational form of certain Bayes estimators . .	1163–1190
HALL, PETER. Bahadur representations for uniform resampling and importance resampling, with applications to asymptotic relative efficiency	1062–1072
HALL, PETER, ROMANO, JOSEPH AND DiCICCIO, THOMAS. Empirical likelihood is Bartlett-correctable	1053–1061
HAMEDANI, G. G. AND WALTER, G. G. Bayes empirical Bayes estimation for natural exponential families with quadratic variance functions	1191–1224
HÄRDLE, W. AND MARRON, J. S. Bootstrap simultaneous error bars for nonparametric regression	778–796
HARVILLE, DAVID A. AND FENECH, ALAN P. Exact confidence sets for variance components in unbalanced mixed linear models .	1771–1785
HASMINSKII, RAFAEL Z. AND GOLUBEV, GEORGE K. Discussion of “Multivariate adaptive regression splines” by J. H. Friedman	91–92
HASTIE, TREVOR, TIBSHIRANI, ROBERT, BUJA, ANDREAS AND DUFFY, DIANE. Discussion of “Multivariate adaptive regression splines” by J. H. Friedman	93–99
HAWKINS, D. L. AND KOCHAR, SUBHASH C. Inference for the crossing point of two continuous cdf's	1626–1638
HECKMAN, NANCY E. AND WOODROOFE, MICHAEL. Minimax Bayes estimation in nonparametric regression	2003–2014
HEITJAN, DANIEL F. AND RUBIN, DONALD B. Ignorability and coarse data	2244–2253

HELMERS, R. On the Edgeworth expansion and the bootstrap approximation for a Studentized U -statistic	470-484
HORVÁTH, LAJOS. On L_p -norms of multivariate density estimators	1933-1949
HORVÁTH, LAJOS, CSÖRGŐ, MIKLÓS AND GOMBAY, EDIT. Central limit theorems for L_p distances of kernel estimators of densities under random censorship	1813-1831
HSING, TAIEN. On tail index estimation using dependent data	1547-1569
HSIUNG, CHAO A. AND CHANG, I.-SHOU. An E -ancillarity projection property of Cox's partial score function	1651-1660
HUANG, WEI-MIN AND GHOSH, B. K. The power and optimal kernel of the Bickel-Rosenblatt test for goodness of fit	999-1009
HUGGINS, R. M., SRIRAM, T. N. AND BASAWA, I. V. Sequential estimation for branching processes with immigration	2232-2243
HWANG, JIUNN T. AND BROWN, LAWRENCE D. Estimated confidence under the validity constraint	1964-1977
IBRAGIMOV, I. A. AND KHAS'MINSKII, R. Z. Asymptotically normal families of distributions and efficient estimation	1681-1724
JANSSEN, ARNOLD. Conditional rank tests for randomly censored data	1434-1456
JONES, M. C., MARRON, J. S. AND PARK, B. U. A simple root n bandwidth selector	1919-1932
KANO, YUTAKA. The asymptotic distribution of a noniterative estimator in exploratory factor analysis	272-282
KAUFMANN, EDGAR AND FALK, MICHAEL. Coverage probabilities of bootstrap-confidence intervals for quantiles	485-495
KEDEM, BENJAMIN AND LI, TA-HSIN. Monotone gain, first-order autocorrelation and zero-crossing rate	1672-1676
KEMPERMAN, J. H. B. Mixtures with a limited number of modal intervals	2120-2144
KENT, JOHN T. AND TYLER, DAVID E. Redescending M -estimates of multivariate location and scatter	2102-2119
KHAN, RASUL A. On the monotonicity of a certain expectation	1677-1680
KHAS'MINSKII, R. Z. AND IBRAGIMOV, I. A. Asymptotically normal families of distributions and efficient estimation	1681-1724
KOCHAR, SUBHASH C. AND HAWKINS, D. L. Inference for the crossing point of two continuous cdf's	1626-1638
KOCHAR, SUBHASH, ROBERTSON, TIM AND DYKSTRA, RICHARD. Statistical inference for uniform stochastic ordering in several populations	870-888
KONISHI, SADANORI. Normalizing transformations and bootstrap confidence intervals	2209-2225
KORN, EDWARD L. AND GRAUBARD, BARRY I. A note on the large sample properties of linearization, jackknife and balanced repeated replication methods for stratified samples	2275-2279

LAI, TZE LEUNG AND GU, MING GAO. Weak convergence of time-sequential censored rank statistics with applications to sequential testing in clinical trials	1403-1433
LAI, TZE LEUNG AND YING, ZHILIANG. Estimating a distribution function with truncated and censored data	417-442
LAI, TZE LEUNG AND YING, ZHILIANG. Large sample theory of a modified Buckley-James estimator for regression analysis with censored data	1370-1402
LAI, TZE LEUNG AND YING, ZHILIANG. Rank regression methods for left-truncated and right-censored data	531-556
LI, KER-CHAU AND DUAN, NAIHUA. Slicing regression: A link-free regression method	505-530
LI, TA-HSIN AND KEDEM, BENJAMIN. Monotone gain, first-order autocorrelation and zero-crossing rate	1672-1676
LIN, MEILY AND DEAN, A. M. Trend-free block designs for vari-etal and factorial experiments	1582-1596
LIU, RICHARD C. AND DONOHO, DAVID L. Geometrizing rates of convergence, II	633-667
LIU, RICHARD C. AND DONOHO, DAVID L. Geometrizing rates of convergence, III	668-701
LLATAS, ISABEL AND COX, DENNIS D. Maximum likelihood type estimation for nearly nonstationary autoregressive time series	1109-1128
LO, SHAW-HWA, MENG, XIAO-LI AND BASSIAKOS, YIANNIS. Large-sample properties for a general estimator of the treatment effect in the two-sample problem with right censoring	1786-1812
LOCKHART, R. A. Overweight tails are inefficient	2254-2258
LOH, WEI-LIEM. Estimating covariance matrices	283-296
LOH, WEI-LIEM. Estimating the common mean of two multivariate normal distributions	297-313
LOPUHAÄ, HENDRIK P. AND ROUSSEEUW, PETER J. Breakdown points of affine equivariant estimators of multivariate location and covariance matrices	229-248
LOW, MARK G. AND BROWN, LAWRENCE D. Information inequality bounds on the minimax risk (with an application to nonparametric regression)	329-337
MALLIK, A. K., MCCORMICK, W. P., REEVES, J. H., TAYLOR, R. L. AND BASAWA, I. V. Bootstrapping unstable first-order autoregressive processes	1098-1101
MAMMEN, ENNO. Estimating a smooth monotone regression function	724-740
MAMMEN, ENNO. Nonparametric regression under qualitative smoothness assumptions	741-759
MARDEN, JOHN I. Sensitive and sturdy p -values	918-934
MARRON, J. S. AND CHU, C.-K. Comparison of two bandwidth selectors with dependent errors	1906-1918

MARRON, J. S. AND HÄRDLE, W. Bootstrap simultaneous error bars for nonparametric regression	778-796
MARRON, J. S., PARK, B. U. AND JONES, M. C. A simple root n bandwidth selector	1919-1932
MCCORMICK, W. P., REEVES, J. H., TAYLOR, R. L., BASAWA, I. V. AND MALLIK, A. K. Bootstrapping unstable first-order autoregressive processes	1098-1101
MENÉNDEZ, J. A. AND SALVADOR, B. Anomalies of the likelihood ratio test for testing restricted hypotheses	889-898
MENG, XIAO-LI, BASSIAKOS, YIANNIS AND LO, SHAW-HWA. Large-sample properties for a general estimator of the treatment effect in the two-sample problem with right censoring	1786-1812
MESSER, K. A comparison of a spline estimate to its equivalent kernel estimate	817-829
MORGAN, JOHN P. AND UDDIN, NIZAM. Two-dimensional design for correlated errors	2160-2182
NAGARAJ, NEERCHAL K. AND FULLER, WAYNE A. Estimation of the parameters of linear time series models subject to nonlinear restrictions	1143-1154
NEY, P. E. AND BUCKLEW, J. A. Asymptotically optimal hypothesis testing with memory constraints	982-998
OKAMOTO, ICHI, AMARI, SHUN-ICHI AND TAKEUCHI, KEI. Asymptotic theory of sequential estimation: Differential geometrical approach	961-981
O'SULLIVAN, FINBARR. Discussion of "Multivariate adaptive regression splines" by J. H. Friedman	99-102
OWEN, ART. Discussion of "Multivariate adaptive regression splines" by J. H. Friedman	102-112
OWEN, ART. Empirical likelihood for linear models	1725-1747
PAPANGELOU, F. AND BHANSALI, R. J. Convergence of moments of least squares estimators for the coefficients of an autoregressive process of unknown order	1155-1162
PARK, B. U., JONES, M. C. AND MARRON, J. S. A simple root n bandwidth selector	1919-1932
POLLAK, MOSHE AND SIEGMUND, D. Sequential detection of a change in a normal mean when the initial value is unknown .	394-416
PROSCHAN, MICHAEL. A note on Blackwell and Hodges (1957) and Diaconis and Graham (1981)	1106-1108
PRUITT, RONALD C. On negative mass assigned by the bivariate Kaplan-Meier estimator	443-453
PUKELSHEIM, FRIEDRICH AND TORSNEY, BEN. Optimal weights for experimental designs on linearly independent support points	1614-1625
RAO, C. RADHAKRISHNA AND BAI, Z. D. Edgeworth expansion of a function of sample means	1295-1315

REEVES, J. H., TAYLOR, R. L., BASAWA, I. V., MALLIK, A. K. AND MCCORMICK, W. P. Bootstrapping unstable first-order autoregressive processes	1098-1101
REGAZZINI, EUGENIO, RIGO, PIETRO AND BERTI, PATRIZIA. Coherent statistical inference and Bayes theorem	366-381
RIGO, PIETRO, BERTI, PATRIZIA AND REGAZZINI, EUGENIO. Coherent statistical inference and Bayes theorem	366-381
RITOV, J. AND BICKEL, PETER J. Large sample theory of estimation in biased sampling regression models. I	797-816
RITOV, YA'ACOV AND GILULA, ZVI. The order-restricted RC model for ordered contingency tables: Estimation and testing for fit	2090-2101
RITOV, YA'ACOV, WELLNER, JON A. AND BICKEL, PETER J. Efficient estimation of linear functionals of a probability measure P with known marginal distributions	1316-1346
ROBERTSON, TIM, DYKSTRA, RICHARD AND KOCHAR, SUBHASH. Statistical inference for uniform stochastic ordering in several populations	870-888
ROMANO, JOSEPH, DiCICCIO, THOMAS AND HALL, PETER. Empirical likelihood is Bartlett-correctable	1053-1061
ROSENBAUM, PAUL R. Some poset statistics	1091-1097
ROUSSEEUW, PETER J. AND LOPUHAÄ, HENDRIK P. Breakdown points of affine equivariant estimators of multivariate location and covariance matrices	229-248
RUBIN, DONALD B. AND HEITJAN, DANIEL F. Ignorability and coarse data	2244-2253
SALVADOR, B. AND MENÉNDEZ, J. A. Anomalies of the likelihood ratio test for testing restricted hypotheses	889-898
SARKAR, JYOTIRMOY. One-armed bandit problems with covariates	1978-2002
SCHUMAKER, LARRY L. Discussion of "Multivariate adaptive regression splines" by J. H. Friedman	112-113
SEVERINI, THOMAS A. AND WONG, WING HUNG. On maximum likelihood estimation in infinite dimensional parameter spaces	603-632
SHEU, CHYONG-HWA AND BARRON, ANDREW R. Approximation of density functions by sequences of exponential families	1347-1369
SHI, XIQUAN. Some asymptotic results for jackknifing the sample quantile	496-503
SIEGMUND, D. AND POLLAK, MOSHE. Sequential detection of a change in a normal mean when the initial value is unknown	394-416
SRIRAM, T. N., BASAWA, I. V. AND HUGGINS, R. M. Sequential estimation for branching processes with immigration	2232-2243
STEFANSKI, LEONARD A. AND CARROLL, RAYMOND J. Deconvolution-based score tests in measurement error models	249-259

- STONE, CHARLES J. Asymptotics for doubly flexible logspline response models 1832–1854
- STONE, CHARLES J. Discussion of “Multivariate adaptive regression splines” by J. H. Friedman 113–115
- STRAWDERMAN, WILLIAM E. AND BRANDWEIN, ANN COHEN. Generalizations of James–Stein estimators under spherical symmetry 1639–1650
- STUDDEN, W. J. AND DASGUPTA, A. Robust Bayesian experimental designs in normal linear models 1244–1256
- STUDDEN, W. J. AND EL-KRUNZ, SADI M. Bayesian optimal designs for linear regression models 2183–2208
- TAKEUCHI, KEI, OKAMOTO, ICHI AND AMARI, SHUN-ICHI. Asymptotic theory of sequential estimation: Differential geometrical approach 961–981
- TAYLOR, R. L., BASAWA, I. V., MALLIK, A. K., MCCORMICK, W. P. AND REEVES, J. H. Bootstrapping unstable first-order autoregressive processes 1098–1101
- THOMAS-AGNAN, CHRISTINE. Spline functions and stochastic filtering 1512–1527
- TIBSHIRANI, ROBERT, BUJA, ANDREAS, DUFFY, DIANE AND HASTIE, TREVOR. Discussion of “Multivariate adaptive regression splines” by J. H. Friedman 93–99
- TJUR, TUE. Block designs and electrical networks 1010–1027
- TORSNEY, BEN AND PUKELSHEIM, FRIEDRICH. Optimal weights for experimental designs on linearly independent support points 1614–1625
- TYLER, DAVID E. AND EATON, MORRIS L. On Wielandt’s inequality and its application to the asymptotic distribution of the eigenvalues of a random symmetric matrix 260–271
- TYLER, DAVID E. AND KENT, JOHN T. Redescending M -estimates of multivariate location and scatter 2102–2119
- UDDIN, NIZAM AND MORGAN, JOHN P. Two-dimensional design for correlated errors 2160–2182
- VAN DER VAART, AAD. On differentiable functionals 178–204
- VAN ZUIJLEN, MARTIEN C. A. Note on the tail behavior of general weighted empirical processes 1102–1105
- VERAVERBEKE, NOËL AND GJIBELS, IRÈNE. Almost sure asymptotic representation for a class of functionals of the Kaplan–Meier estimator 1457–1470
- VOS, PAUL W. A geometric approach to detecting influential cases 1570–1581
- WAHBA, GRACE AND GU, CHONG. Discussion of “Multivariate adaptive regression splines” by J. H. Friedman 115–123
- WALTER, G. G. AND HAMEDANI, G. G. Bayes empirical Bayes estimation for natural exponential families with quadratic variance functions 1191–1224

WELLNER, JON A., BICKEL, PETER J. AND RITOV, YA'ACOV. Efficient estimation of linear functionals of a probability measure P with known marginal distributions	1316–1346
WONG, WING HUNG AND SEVERINI, THOMAS A. On maximum likelihood estimation in infinite dimensional parameter spaces	603–632
WOODROOFE, MICHAEL AND HECKMAN, NANCY E. Minimax Bayes estimation in nonparametric regression	2003–2014
WU, C. F. J. AND CHEN, JIAHUA. Some results on s^{n-k} fractional factorial designs with minimum aberration or optimal moments	1028–1041
XIAO, XIANGYU AND BARRON, ANDREW R. Discussion of “Multivariate adaptive regression splines” by J. H. Friedman	67–82
YAJIMA, YOSHIHIRO. Asymptotic properties of the LSE in a regression model with long-memory stationary errors	158–177
YANG, SONG. Minimum Hellinger distance estimation of parameter in the random censorship model	579–602
YING, ZHILIANG AND LAI, TZE LEUNG. Estimating a distribution function with truncated and censored data	417–442
YING, ZHILIANG AND LAI, TZE LEUNG. Large sample theory of a modified Buckley–James estimator for regression analysis with censored data	1370–1402
YING, ZHILIANG AND LAI, TZE LEUNG. Rank regression methods for left-truncated and right-censored data	531–556
YU, QIQING AND CHOW, MO-SUK. Minimality of the empirical distribution function in invariant estimation	935–951
ZAMAN, ASAD. Asymptotic suprema of averaged random functions	2145–2159
ZHANG, PING. Variable selection in nonparametric regression with continuous covariates	1869–1882
ZHOU, MAI. Some properties of the Kaplan–Meier estimator for independent nonidentically distributed random variables . . .	2266–2274

Corrections

BARRON, ANDREW R. AND SHEU, CHYONG-HWA. Approximation of density functions by sequences of exponential families	2284
BELL, WILLIAM. Signal extraction for nonstationary times series	2280
GHOSH, SUBIR. On main effect plus one plans for 2^m factorials . .	2281
MARTINSEK, ADAM T. Second order approximation to the risk of a sequential procedure	2283
PORTNOY, STEPHEN. Asymptotic behavior of M estimators of p regression parameters when p^2/n is large: II. Normal approximation	2282
SHEU, CHYONG-HWA AND BARRON, ANDREW R. Approximation of density functions by sequences of exponential families	2284