

INDEX

- arithmetical hierarchy 11
- axiomatization 52

- B_n (formula, sentence) 11
- B_n (degree) (see Φ (degree))
- Bernays–Löb provability conditions 15
- binumerate 7
- binumeration 8
- bounded (quantifier) 8, 121
- bounded (set of sentences) 52, 121

- cap 96
- caps to ... below ... 114
- cofinal 98
- complement (in lattice) 20, 114
- complete (theory) 23
- complete (Π_n^0, Σ_n^0 set) 20
- conservative (partially) 62
- correctly numerates 43
- Craig's theorem 10
- cup 96
- cupping 98
- cups to ... above ... 114

- Δ_n (degree) (see Φ (degree))
- Δ_n (formula, sentence) 11
- decidable (in T , formula, sentence) 8
- decidable (theory) 17
- define (formula defines function) 7
- definable (set in model) 17
- degree (of interpretability) 94
- distributive (lattice) 20
- dual 11

- essentially infinite (over) 52
- essentially reflexive (theory) 18

- essentially reflexive (interpretation) 120
- essentially undecidable (theory) 17

- Φ (formula, sentence) 11
- Φ (degree) 102
- faithful (interpretation) 84
- faithfully interpretable 84
- finite extension 52
- fixed point 15
- fixed point lemma 15, 121

- Γ (degree) (see Φ (degree))
- Γ (formula, sentence) 11
- Γ -conservative 62
- Γ -conservative extension 66
- Γ -sound 12
- Γ -subtheory 63
- GB (Gödel–Bernays set theory) 124
- g.l.b. (greatest lower bound) 20
- Gödel's (first) incompleteness theorem 23, 119
- Gödel's second incompleteness theorem 26, 120
- Gödel–Tarski theorem 17
- greatest lower bound (g.l.b.) 20

- H-bounded 121
- Henkin complete 78
- hereditarily Γ -conservative 71
- high 104
- hypersimple 61

- i.a. (irredundantly axiomatizable) 57
- i. Γ -a. (irredundantly Γ -axiomatizable) 58
- independent (formula) 31

- independent (set of degrees) 114
- independent (on X over T) 44
- interpretable 76
- interpretation 75
- interval 100
- irredundant (over) 57
- irredundantly axiomatizable (i.a.) 57
- irredundantly Γ -axiomatizable (i. Γ -a.) 58

- lattice 20
- least upper bound (l.u.b.) 20
- liar paradox 17
- Löb's theorem 28
- low 104
- l.u.b. (least upper bound) 20

- monoconsistent 25

- N 5
- N 6
- numerate 7
- numeration 9

- ω -consistent 36
- Orey compactness theorem 81, 123
- Orey-Hájek lemma 80, 123

- PA 6
- Π_n (degree) (see Φ (degree))
- Π_n (formula, sentence) (see Γ (formula, sentence))
- Π_n -conservative (see Γ -conservative)
- Π_n -sound (see Γ -sound)
- partial truth-definition 18, 121
- p.c. (pseudocomplement) 20
- Peano Arithmetic 6
- positively prime (p.p.) 46
- p.p. (positively prime) 46
- PR (primitive recursive formula) 8

- Q 6

- Robinson's Arithmetic 6
- Rosser sentence 24
- Rosser's theorem 23

- Σ_n (degree) (see Φ (degree))
- Σ_n (formula, sentence) (see Γ (formula, sentence))
- Σ_1 -complete 14
- Σ_n -conservative (see Γ -conservative)
- Σ_1 -extension 97
- Σ_n -sound (see Γ -sound)
- self-prover 71
- Shepherdson-Smoryński fixed point theorem 51

- Tarski theorem 17
- theory 5
- translation 75
- true (sentence, theory) 6
- truth-definition 17
- type of independence 45

- undecidable (sentence) 23
- undecidable (theory) 17

- ZF (Zermelo-Fraenkel set theory) 120