

## BIBLIOGRAPHY

- Adichie, J. (1967). Estimation of regression parameters based on rank tests. *Ann. Math. Statist.* **38**, 894–904.
- Anderson, T.W. (1971). *The statistical analysis of time series*. J. Wiley & Sons, Inc. New York.
- Anderson, T.W. and Darling, D.A. (1952). Asymptotic theory of certain 'goodness of fit' criteria based on stochastic processes. *Ann. Math. Statist.* **23**, 193–212.
- Babu, J. and Singh, K. (1983). Inference on means using bootstrap. *Ann. Statist.* **11**, 999–1003.
- (1984). On one term Edgeworth correction by Efron's bootstrap. *Sankhya, Series. A, Pt. 2.* **46**, 219–232.
- Basawa, I.V. and Koul, H.L. (1988). Large sample statistics based on quadratic dispersions. *Int. Statist. Review* **56**, 199–219.
- Beran, R.J. (1977). Minimum Hellinger distance estimates for parametric models. *Ann. Statist.* **5**, 445–463.
- (1978). An efficient and robust adaptive estimator of location. *Ann. Statist.* **6**, 292–313.
- (1982). Robust estimation in models for independent non-identically distributed data. *Ann. Statist.* **2**, 415–428.
- Bickel, P.J. (1982). On adaptive estimation. *Ann. Statist.* **10**, 647–671.
- Bickel, P.J. and Freedman, D. (1981). Some asymptotic theory for the bootstrap. *Ann. Statist.* **2**, 415–428.
- Bickel, P.J. and Lehmann, E.L. (1976). Descriptive statistics for nonparametric models. III Dispersion. *Ann. Statist.* **4**, 1139–1158.
- Bickel, P.J. and Wichura, M. (1971). Convergence criteria for multiparameter stochastic processes and some applications. *Ann. Math. Statist.* **42**, 1656–1670.
- Billingsley, P. (1968). *Convergence of Probability Measures*. John Wiley and Sons, New York.
- Brockwell, P. J. and Davis, R. A. (1987). *Time Series: Theory and Methods*. Springer-Verlag, New York.
- Brown, L.D. and Purves, R. (1973). Measurable selections of extrema. *Ann. Statist.* **1**, 902–912.
- Boldin, M. V. (1982). Estimation of the distribution of noise in autoregression scheme. *Theor. Probab. Appl.* **27**, 866–871.
- (1989). On testing hypotheses in the sliding average scheme by the Kolmogorov–Smirnov and  $\omega^2$  tests. *Theor. Probab. Appl.* **34**, 699–704.
- Boos, D.D. (1981). Minimum distance estimators for location and goodness of fit. *J. Amer. Statist. Assoc.* **76**, 663–670.
- (1982a). Minimum Anderson–Darling estimation. *Comm. Stat. Theor. Meth.* **11** (24), 2747–2774.
- (1982b). A test of symmetry associated with the Hodges–Lehmann estimator. *J. Amer. Statist. Assoc.* **77**, 647–651.

- Bustos, O. H. (1982). General M-estimates for contaminated pth order autoregressive processes: consistency and asymptotic normality. *Zeit fur Wahrscheinlichkeitstheorie*, **59**, 491–504.
- Cheng, K.F. and Serfling, R.J. (1981). On estimation of a class of efficiency-related parameters. *Scand. Act. J.* 83–92.
- Dehling, H. and Taquq, M. S. (1989). The empirical process of some long range dependent sequences with an application to U-statistics. *Ann. Statist.* **17**, 1767–1783.
- Delong, D. (1983). Personal Communication. S.A.S. Institute, Inc. Cary. N.C., 27511–8000.
- Denby, L. and Martin, D. (1979). Robust estimation of the first order autoregressive parameter. *J. Amer. Statist. Assoc.* **74**, 140–146.
- Dhar, S. K. (1991a). Minimum distance estimation in an additive effects outliers model. *Ann. Statist.* **19**, 205–228.
- (1991b). Computation of minimum distance estimators in multiple linear regression model. *Comm. Statist. Theor. and Meth. Ser. B*, **21**(1), (1992), 18pps.
- (1991c). Existence and compulation of minimum distance estimators in AR(k) model. To appear in *J.A.S.A.*, March 1993.
- Donoho, D. L. and Liu, R. C. (1988). The " automatic" robustness of minimum distance functionals. *Ann. Statist.* **16**, 552–586.
- (1988). Pathologies of some minimum distance estimators. *Ann. Statist.* **16**, 587–608.
- Dupač, V. and Hájek, J. (1969). Asymptotic normality of linear rank statistics II. *Ann. Math. Statist.* **40**, 1992–2017.
- Durbin, J. (1973). *Distribution theory for tests based on the sample d.f.* Philadelphia: SIAM.
- (1976). Kolomogorov–Smirnov tests when parameters are estimated. *Empirical distributions and Processes; Springer–Verlag Lecture Notes in Math.*, #566.
- Dvortzky, A., Kiefer, J., and Wolfowitz, J. (1956). Asymptotic minimax character of the sample distribution function and of the classical multinomial estimator. *Ann. Math. Statist.* **27**, 642–669.
- Efron, B. (1979). Bootstrap methods: another look at the jackknife. *Ann. Statist.* **7**, 1–26.
- (1982). *The Jackknife, the Bootstrap and Other resampling plans.* CBMS–NSF Reg. Conf. Ser. **38**. S. I. A. M.
- Einmahl, U. and Mason, D. (1992). Approximations to permutation and exchangeable processes. *J. Theor. Probab.* **5**, 101–126.
- Eyster, J. (1977). Asymptotic normality of simple linear random rank statistics under the alternatives. Ph. D. thesis, Michigan State University, East Lansing.
- Fabian, V and Hannan, J. (1982). On estimation and adaptive estimation for locally asymptotically normal families. *Z. Wahrsch. Verw. Gebiete* **59** 459–478.
- Feller, W. (1966). *An Introduction to Probability Theory and its Applications II.* John Wiley & Sons, New York.

- Fine, T. (1966). On Hodges–Lehmann shift estimator in the two sample problem. *Ann. Math. Statist.* **37**, 1814–1818.
- Finkelstein, H. (1971). The law of the iterated logarithm for empirical distributions. *Ann. Math. Statist.* **42**, 607–615.
- Freedman, D. (1981). Bootstrapping regression models. *Ann. Statist.* **9**, 1218–1228.
- Ghosh, M. and Sen, P.K. (1972). On bounded confidence intervals for regression coefficients based on a class of rank statistics. *Sankhya A*, **34**, 33–52.
- Hall, P. and Heyde, C. C. (1980). *Martingale limit theory and its applications*. Academic Press. New York.
- Hampel, F. (1971). A general qualitative definition of robustness. *Ann. Math. Statist.* **42**, 1887–1896.
- Hájek, J. and Šidák, Z. (1967). *Theory of rank tests*. Academic Press. New York.
- Hájek, J. (1969). *Nonparametric Statistics*. Holden Day. San Francisco.
- (1972). Local asymptotic minimax and admissibility in estimation. *Proc. Sixth. Berkeley Symp. Math. Statist. Probability*, **1**, 597–616. University of California Press.
- Hardy, G. H., Littlewood, J. E. and Polya, G. (1952). *Inequalities* (2nd Ed.). Cambridge University Press.
- Heiler, S. and Willers, R. (1988). Asymptotic normality of R–estimates in the linear model. *Statistics*, **19**, 173–184.
- Hettmansperger, T. P. (1984). *Statistical inference based on ranks*. J. Wiley & Sons. Inc. New York.
- Hodges, J.L., Jr. and Lehmann, E.L. (1963). Estimates of location based on rank tests. *Ann. Math. Statist.* **34**, 598–611.
- Huber, P. (1973). Robust regression: Asymptotics, conjectures and Monte Carlo. *Ann. Statist.* **1**, 799–821.
- Huber, P. (1981). *Robust Statistics*. Wiley, New York.
- Johnson, W. B., Schechtman, G. and Zinn, J. (1985). Best constants in moment inequalities for linear combinations of independent and exchangeable random variables. *Ann. Probab.* **13**, 234–253.
- Jaeckel, L.A. (1972). Estimating regression coefficient by minimizing the dispersion of residuals. *Ann. Math. Statist.* **43**, 1449–1458.
- Jurečková, J. (1969). Asymptotic linearity of rank test statistics in regression parameters. *Ann. Math. Statist.* **40**, 1889–1900.
- (1971). Nonparametric estimates of regression coefficients. *Ann. Math. Statist.* **42**, 1328–1338.
- Kac, M., Kiefer, J. and Wolfowitz, J. (1955). On tests of normality and other tests of goodness-of-fit based on distance methods. *Ann. Math. Statist.* **26**, 189–211.
- Kiefer, J. (1959). K-sample analogues of the Kolmogorov–Smirnov and Cramer–von Mises tests. *Ann. Math. Statist.* **30**, 420–447.
- Koul, H.L. (1969). Asymptotic behavior of Wilcoxon type confidence regions in multiple linear regression. *Ann. Math. Statist.* **40**, 1950–1979.

- Koul, H.L. (1970). Some convergence theorems for ranks and weighted empirical cumulatives. *Ann. Math. Statist.* **41**, 1768–1773.
- \_\_\_\_\_ (1971). Asymptotic behavior of a class of confidence regions based on rank in regression. *Ann. Math. Statist.* **42**, 466–476.
- \_\_\_\_\_ (1977). Behavior of robust estimators in the regression model with dependent errors. *Ann. Statist.* **5**, 681–699.
- \_\_\_\_\_ (1979). Weighted empirical processes and the regression model. *J. Indian Statist. Assoc.* **17**, 83–91.
- \_\_\_\_\_ (1980). Some weighted empirical inferential procedures for a simple regression model. *Colloq. Math. Soc. Janos Bolyai*, **32**. *Nonpar. Statist. Inf.* (537–565).
- \_\_\_\_\_ (1984). Tests of goodness-of-fit in linear regression. *Colloq. Math. Soc. Janos Bolyai*, **45**. *Goodness-of-Fit*. (279–315).
- \_\_\_\_\_ (1985a). Minimum distance estimation in multiple linear regression. *Sankhya, Ser. A*, **47**, Part 1, 57–74.
- \_\_\_\_\_ (1985b). Minimum distance estimation in linear regression with unknown errors. *Statist. & Prob. Letters*. **3**, 1–8.
- \_\_\_\_\_ (1986). Minimum distance estimation and goodness of fit in first-order autoregression. *Ann. Statist.* **14** 1194–1213.
- \_\_\_\_\_ (1989). A quadraticity limit theorem useful in linear models. *Probab. Th. Rel. Fields* **82** 371–386.
- \_\_\_\_\_ (1991). A weak convergence result useful in robust autoregression. *J. Statist. Planning and Inference*, **29**, 291–308.
- Koul, H.L. and DeWet, T. (1983). Minimum distance estimation in a linear regression model. *Ann. Statist.* **11**, 921–932.
- Koul, H.L. and Levental, S. (1989). Weak convergence of residual empirical processes in explosive autoregression. *Ann. Statist.* **17**, 1784–1794.
- Koul, H.L. and Mukherjee, K. (1992). Asymptotics of R-, MD- and LAD-estimators in linear regression models with long range dependent errors. A preprint.
- Koul, H.L. and Ossianer, M. (1992). Weak convergence of randomly weighted dependent residual empiricals with application to autoregression. RM # 520, Department of Statist. & Probab., MSU, East Lansing.
- Koul, H.L., Sievers, G. L., and McKean, J. W. (1987). An estimator of the scale parameter for the rank analysis of linear models under general score functions. *Scand. J. Statist.* **14**, 131–141.
- Koul, H.L. and Staudte, R.G., Jr. (1972). Weak convergence of weighted empirical cumulatives based on ranks. *Ann. Math. Statist.* **43**, 832–841.
- Koul, H.L. and Susarla, V. (1983). Adaptive estimation in linear regression. *Statist. and Decis.* **1**, 379–400.
- Koul, H.L. and Zhu, Z. (1991). Bahadur representations for some minimum distance estimators in linear models. A preprint.
- Kreiss, P. (1991). Estimation of the distribution function of noise in stationary processes. *Metrika*, **38**, 285–297.
- Kuelbs, J. (1976). A strong convergence theorem for Banach spaces valued r.v.'s. *Ann. Prob.* **4**, 744–771.

- Lahiri, S. (1989). Bootstrap approximations to the distributions of M-estimators. Ph. D. thesis. Michigan State Univ., East Lansing.
- \_\_\_\_\_. (1991). Bootstrapping M-estimators of a multiple linear regression parameter. A preprint. To appear in the *Ann. Statist.*
- Le Cam, L. (1972). Limits of experiments. *Proc. Sixth. Berkeley Symp. Math. Statist. Probability*. 1, 245–261. University of California Press.
- \_\_\_\_\_. (1986). *Asymptotical methods in statistical theory*. Springer, New York.
- Lehmann, E. L. (1963). Nonparametric confidence intervals for a shift parameter. *Ann. Math. Statist.* 34, 1507–1512.
- \_\_\_\_\_. (1975). *Nonparametrics*. Holden Day, San Francisco.
- Lehmann, E. L. (1986). *Testing Statistical Hypotheses*, 2nd Edition. J. Wiley & Sons, New York.
- Levental, S. (1989). A uniform CLT for uniformly bounded families of martingale-differences. *J. Theoret. Probab.* 2, 271–287.
- Loève, M. (1963). *Probability Theory*. D. Van Nostrand Co., Inc. Princeton, New Jersey.
- Loynes, R.M. (1980). The empirical d.f. of residuals from generalized regression. *Ann. Statist.* 8, 285–298.
- Marcus, M.B. and Zinn, J. (1984). The bounded law of iterated logarithm for the weighted empirical distribution process in the non i.i.d. case. *Ann. Prob.* 12, 335–360.
- Martynov, G.V. (1975). Computation of distribution functions of quadratic forms of normally distributed r.v.'s *Theor. Probab. Appl.* 20, 782–793.
- \_\_\_\_\_. (1976). Computation of limit distributions of statistics for normality tests of type  $\omega^2$ . *Theor. Probab. Appl.* 21, 1–13.
- Mehra, K.L. and Rao, M.S. (1975). Weak convergence of generalized empirical processes relative to  $d_q$  under strong mixing. *Ann. Prob.* 3, 979–991.
- Millar, P.W. (1981). Robust estimation via minimum distance methods. *Zeit fur Wahrscheinlichkeitstheorie*, 55, 73–89.
- \_\_\_\_\_. (1982). Optimal estimation of a general regression function. *Ann. Statist.* 10, 717–740.
- \_\_\_\_\_. (1984). A general approach to the optimality of minimum distance estimators. *Trans. Amer. Math. Soc.* 286, 377–418.
- Noether, G. E. (1949). On a theorem by Wald and Wolfowitz. *Ann. Math. Statist.* 20, 455–458.
- Parr, W. (1981). Minimum distance estimation: a bibliography. *Comm. Statist. Theor. Meth.* A10 (12), 1205–1224.
- Parr, W.C. and Schucany, W.R. (1979). Minimum distance and robust estimation. *J.A.S.A.*, 75, 616–624.
- Parthasarathy, K.R. (1967). *Probability measures on metric spaces*. Academic Press, New York.
- Pollard, D. (1984). *Convergence of Stochastic Processes*. Springer, N.Y.
- \_\_\_\_\_. (1991). Asymptotics for least absolute deviation regression estimators. *Econometric Theor.* 7, 186–199.

- Puri, M.L. and Sen, P.K. (1969). *Nonparametric methods in Multivariate Analysis*. John Wiley and Sons, New York.
- Rao, K.C. (1972). The Kolmogoroff, Cramer-von Mises Chisquares statistics for goodness-of-fit tests in the parametric case. (abstract). *Bull. Inst. Math. Statist.* 1, 87.
- Rao, P. V., Schuster, E., and Littel. R. (1975). Estimation of shift and center of symmetry based on Kolmogorov-Smirnov statistics. *Ann Statist.* 3, 862-873.
- Rockafeller, R. T. (1970). *Convex Analysis*. Princeton University Press, Princeton, N.J.
- Schweder, T. (1975). Window estimation of the asymptotic variance of rank estimators of location. *Scand. J. Statist.* 2, 113-126.
- Shorack, G. (1973). Convergence of reduced empiricals and quantile processes with applications to functions of order statistics in non-i.i.d. case. *Ann Statist.* 1, 146-152.
- \_\_\_\_\_ (1979). Weighted empirical process of row independent r.v.'s with arbitrary df's. *Statistica Neerlandica*, 35, 169-189.
- \_\_\_\_\_ (1982). Bootstrapping robust regression. *Comm. Statist. Theor. Meth.* A11 (9), 1205-1224.
- \_\_\_\_\_ (1991). Embedding the finite sampling process at a rate. *Ann. Probab.* 19, 826-842.
- Sen, P. K. (1966). On a distribution-free method of estimating asymptotic efficiency of a class of nonparametric tests. *Ann. Math. Statist.* 37, 1759-1770.
- Serfling, R. J. (1980). *Approximation Theorems of Mathematical Statistics*. J. Wiley & Sons, Inc., N. Y.
- Singh, K. (1981). On asymptotic accuracy of Efron's bootstrap. *Ann Statist.* 9, 1187-1195.
- Sinha, A. and Sen, P.K. (1979). Progressively censored tests for clinical experiments and life testing problems based on weighted empirical distributions. *Comm. Statist. Theor. and Meth.* A8, 871-898.
- Smirnov, N.V. (1947). Sur un critère de symétrie de la loi de distribution d'une variable aléatoire. *Compte Rendu (Doklady) de l'Academic des Sciences de l'URSS* LVI, NO. 1.
- Stephens, M.A. (1976). Asymptotic results for goodness-of-fit statistics with unknown parameters. *Ann Statist.* 4, 357-369.
- \_\_\_\_\_ (1979). Tests of fit for the logistic distribution based on the empirical df. *Biometrika* 66, 3, 591-595.
- Vanderzanden, A.J. (1980). Some results for the weighted empirical processes concerning the laws of iterated logarithm and weak convergence. Ph.D. Thesis, MSU.
- \_\_\_\_\_ (1984). A functional law of the iterated logarithm for the weighted empirical processes. *J. Ind. Statist. Assoc.* 22, 97-110.
- Van Eeden, C. (1972). An analogue, for signed rank statistics, of Jurečková's asymptotic linearity theorem for rank statistics. *Ann. Math. Statist.* 43, 791-802.

- Williamson, M. A. (1979). Weighted empirical-type estimators of regression parameter. Ph.D. Thesis, MSU.
- \_\_\_\_\_ (1982). Cramer-von Mises estimations of regression parameter: The rank analogue. *J. Mult. Anal.* 12, 248–255.
- Withers, C.S. (1975). Convergence of empirical processes of mixing r.v.'s on  $[0, 1]$ . *Ann. Statist.* 3, 1101–1108.
- Wolfowitz, J. (1953). Estimation by minimum distance method. *Ann. Inst. Stat. Math.* 5, 9–23.
- \_\_\_\_\_ (1954). Estimation of the components of stochastic structures. *Proc. Nat. Acad. Sci.* 40, 602–606.
- \_\_\_\_\_ (1957). Minimum distance estimation method. *Ann. Math. Statist.*, 28, 75–88.