### JOURNAL OF THE AMERICAN STATISTICAL ASSOCIATION

Volume 67	June 1972	Number 338
	trategy in Time Series Analysis	
Effects of Question Length on Rep A New Approach to Estimating St Seasonal Variability in Distributed Evaluating Estimates of Net Migra	and 1970: A Statistical Appraisal  porting Behavior in the Survey Interview  witching Regressions  d Lag Models  tion and Net Migration Rates Based on Surviv	
Convergence Pattern of the Scoring Partially Balanced Designs for Hall On Sampling of Very Rare Human P A Note on Multiple-Choice Ite	g Method in Estimating Parameters of a Long f Sample Replication Method of Variance Esti Populations	mormal Function C. Michelini mation Kok-Huat Lee Seymour Sudman Alexis Zinger
Invited Paper	•	
On Future Population		Nathan Keyfitz
Theory and Methods		
Some Probability Paradoxes in Che	ure-Thing Principle oice from Among Random Alternatives radox" and "Some Probability Paradoxe D. V. Lindley, I. J. Good, Ro	
Improved Confidence Intervals for The Estimation of $\sigma^2$ in a Two-Wa	the Variance of a Normal Distribution  y Classification Model with Interaction	
Estimating the Mean of Observation	of Fit Tests	Hewett and R. K. Tsutakawa e Sequence George S. Fishman
Rejoinder	Classifications IV: Simplification of Asymptotic	Richard F. Potthoff T. W. F. Stroud
More Light on the Kurtosis and I	Leo A. Goodn Related Statistics	nan and William H. KruskalRobert V. Hogg
Negative Moments of Positive Ran Multisample Tests for the Von Mise Bayesian Analysis of the Two-Sam Bayesian Optimization in Sampling	oblem  Indom Variables	. Chao and W. E. Strawderman M. A. Stephens rt H. Lochner and Asit P. Basu V. K. Rao and P. D. Ghangurde
Asymptotic Properties of an Iterate	e of the Two Stage Least Squares Estimator	Phrymes and Vishwanath Pandit
Distributions	econd Sample in Estimating the Scale Parame	eter for a Family of Symmetric
Kendall's S Distribution with Ties Nonparametric Sequential Procedu Two-Sided Confidence Intervals for	s in One Ranking tres for Selecting the Best of k Populations Ranked Means bution Function Estimators for Truncation Parameters	
	e Discrimination Procedures M. P.	. Gessaman and P. H. Gessaman
A Model for Quadratic Outliers in Book Reviews	Linear Regression Janet	Dixon and Robert M. Elashoff
Fc	or further information, please contact:	
AMERICAN STATISTICAL ASSOCIATION		

### AMERICAN STATISTICAL ASSOCIATION

806 15th Street, N.W.

Washington, D. C. 20005

### ESTADÍSTICA

### Journal of the Inter-American Statistical Institute

Vol. XXVII, No. 105

CONTENTS

December 1969

Las Estadísticas del Trabajo en Latinoamerica

Tulo H. Montenegro

Estadísticos y Zapateros

A. Ross Eckler

Estimation du Rythme D'Accroissement Demographique: Une Introduction aux PGE/ERAD/ECP Techniques de Measurages Duals Karol J. Krôtki

Proyección de la Oferta de Mano de Obra

James N. Ypsilantis

Some Demographic and Social Correlates of Fertility in Venezuela

Maria Davidson

Special Features. International Resolutions Relating to Statistics. Legal Provisions. Institute Affairs. Statistical News. Publications.

Published quarterly Annual subscription price \$3.00 (U.S.)
INTER-AMERICAN STATISTICAL INSTITUTE
Pan American Union
Washington, D. C. 20006

# JOURNAL OF THE ROYAL STATISTICAL SOCIETY

The Journal of the Royal Statistical Society is published in three series, Series A (General), four issues a year, annual subscription, post free, £6. U. S. \$15: price each part £2: Series B (Methodological), three issues a year, annual subscription post free, £4.75 U. S. \$12: price each part £2: Series C (Applied Statistics), three issues a year, annual subscription £3; U. S. \$7.50, price each part £1.35.

### Contents of SERIES B (METHODOLOGICAL), Vol. 34, No. 1, 1972

Bayes estimates for the linear model (with Discussion) D. V. Lindley and A. F. M. Smith Permanent expressions for order statistic densities R. J. Vaughan and W. N. Venables

The numerical solution of a set of conditional estimation equations E. B. Andersen

Asymptotic properties of Bayesian decision rules for two terminal decisions and multiple sampling. II. A. Hald and N. Keiding

Nearest neighbour systems and the auto logistic model for binary data G. E. Besag

Experimental designs with many classifications G. H. FREEMAN

Arbitrary event initial conditions for branching Poisson processes A. J. LAWRANCE

Comments and Queries

A note on Barnard's modification to Wald's sequential test for double dichotomies M. J. Fryer A bivariate exponential distribution with applications to reliability A. G. Hawkes

The Royal Statistical Society, 21 Bentinck Street, London, W. 1

## THE ANNALS OF MATHEMATICAL STATISTICS

#### INSTRUCTIONS FOR AUTHORS

Submission of Papers. Papers to be submitted for publication should be sent to the Editor of the Annals of Mathematical Statistics. (For current address, see the latest issue of the Annals.) The original (or xerox copy) should be submitted with two additional copies on paper that will take ink corrections. The manuscript will not normally be returned to the author; when expressly requested by the author, one copy of the manuscript will be returned.

Preparation of Manuscripts. Manuscripts should be typewritten, entirely double-spaced, including references, with wide margins at sides, top and bottom. Dittoed or mimeographed papers are acceptable only if completely legible; xerox copies are preferable. When technical reports are submitted, all extraneous sheets and covers should be removed.

Submission of Reference Papers. Copies (preferably two) of unpublished or not easily available papers cited in the manuscript should be submitted with the manuscript.

Title and Abbreviated Title. The title should be descriptive and as concise as is feasible, i.e., it should indicate the topic of the paper as clearly as possible, but every word in it should be pertinent. An abbreviated title to be used as a running head is also required, and should be given below the main title. This should normally not exceed 35 characters. For example, a title might be "A Limit Theorem for Conditioned Recurrent Random Walk Attracted to a Stable Law," with the running head "Limit Theorem for Recurrent Random Walk" or possibly "Recurrent Random Walk Attracted to a Stable Law", depending on the emphasis to be conveyed.

Abstract. Each manuscript is required to contain an abstract, which will be printed immediately after the title, clearly separated from the rest of the paper. Its main purpose is to inform the reader quickly of the nature and results of the paper; it may also be used as an aid in retrieving information. The length of an abstract will clearly depend on the length and difficulty of the paper, but in general it should not exceed 150 words. It should be typed on a separate page, under the heading "Abstract", followed by the title of the paper. Formulas should be used as sparingly as possible. The abstract should not make reference to results or formulas in the body of the paper—it should be self-contained.

Footnotes. Footnotes should be reduced to a minimum and, where possible, should be replaced by remarks in the text or in the references; formulas in footnotes should be avoided. Footnotes in the text should be identified by superscript numbers and typed together, double-spaced, on a separate page.

**Key Words.** Included as the first footnote on page 1 should be the headings:

American Mathematical Society 1970 subject classification. Primary—; Secondary—. Key words and phrases:

The classification numbers representing the primary and secondary subjects of the article may be found with instructions for its use, as an Appendix to Mathematical Reviews Index to Volume 39, June 1970. (See, also, The Notices of the American Mathematical Society, June 1970, pp. 616-618, for more details.) The key words and phrases should describe the subject matter of the article; generally they should be taken from the body of the paper.

List of Symbols. A completely typewritten list of symbols, identified typographically, not mathematically, should be attached to the manuscript on a separate page. Distinguish between "oh" and "zero"; "ell" and "one"; "kappa" and "kay", etc. Indicate also when special type is required (Greek, German, script, boldface, etc.); other letters will be set in italics.

Figures and Tables. Figures, charts, and diagrams should be prepared in a form suitable for photographic reproduction and should be professionally drawn twice the size they are to be printed. (These need not be submitted until the paper has been accepted for publication.) Tables should be typed on separate pages with accompanying footnotes immediately below the table.

**Formulas.** Fractions in the text are preferably written with the solidus or negative exponent; thus, (a+b)/(c+d) is preferred to  $\frac{a+b}{c+d}$ , and

 $(2\pi)^{-1}$  or  $1/(2\pi)$  to  $\frac{1}{2\pi}$ . Also,  $a^{b(c)}$  and  $a_{b(c)}$  are preferred to  $a^{bc}$  and  $a_{bc}$ , respectively. Complicated

ferred to  $a^{b_c}$  and  $a_{b_c}$ , respectively. Complicated exponentials should be represented with the symbol exp. A fractional exponent is preferable to a radical sign.

References. References should be typed double-spaced and should follow the style:

[5] Wilks, S. S. (1938). The large-sample distribution of the likelihood ratio for testing composite hypotheses. Ann. Math. Statist. 9 60-62.

In textual material, the format "... Wilks (1938) ..." is normally preferred to "... Wilks [5] ...". Multiple references can be distinguished as "... Wilks (1938a) ...". Abbreviations for journals should be taken from *Mathematical Reviews* Index to Volume 40, 1970, pp. 1683-1702.

**Proofs.** Author will ordinarily receive galley proofs. Corrected galley proofs should be sent to the Managing Editor of the Annals of Mathematical Statistics. (For current address, see the latest issue of the Annals.)

### Contents (Continued)

A consistent estimation of kernel functions in the multiple Wiener integrals  Won Joon Park 983
A matrix occupancy problem Patrick J. Eicker, M. M. Siddiqui and Paul W. Mielke, Jr. 988
Stationary measures for a class of storage models driven by a Markov chain R. V. Erickson 997
Short Communications
A note on the zero-one lawJulius R. Blum and Pramod K. Pathak 1008
A generalization of the weak version of the Glivenko-Cantelli theorem $_{ m Jonathan\ Shuster}$ 1010
Moments of oscillations and ruled sums
A note on approachability in a two-person game
Riesz decomposition for weak Banach-valued quasi-martingales  ZORAN R. POP-STOJANOVIC 1020
Irreducible Markov shifts
A remark on quadratic mean differentiability Bruce Lind and George Roussas 1030