BIOMETRICS

Journal of the Biometric Society CONTENTS

Vol. 27, No. 4

December 1971

The analysis of incomplete data (with discussion)
The allometry equation in the analysis of the standard oxygen consumption and body weights of the with take A. Heusner A. general coefficient of similarity and some of its properties. A. C. Gower Distances between populations on the basis of gene frequencies. A. W. F. Edwards Quantitative guidelines for communicable disease control programs. J. L. Sanders Descriptive functions in disease. W. R. Best, J. M. Becktel, and A. F. Johnson The non-comparability of relative risks from different studies. P. B. Peacock Life tests under competing causes of failure and the theory of competing risks M. L. Moeschberger and H. A. David
A double sampling scheme for estimating from binomial data with misclassification: sample size determination
On two tests for comparing matched proportions. J. Nam An investigation of Wetherill's method of estimation for the up-and-down experiment. S. C. Choi Combining independent estimators and estimation in linear regression with unequal variances J. N. K. Rao and K. Subrahmaniam
On distance estimators of density in randomly distributed forests
Time series analysis of water pollution data
Multivariate logit analysis. J. E. Grizzle Multivariate logit analysis. J. E. Grizzle
Moments of the criterion of a test for association

BIOMETRICS Journal of the Biometric Society CONTENTS

Vol. 28 No. 1

March 1972

Recent trends of research work in multivariate analysis. C. R. Rao The mathematics of size and shape. Some simultaneous multivariate procedures using Hotelling's T^2 statistics. D. R. Jensen The analysis of a single sample of repeated measurements. D. F. Morrison
A multivariate approach to the analysis of drug effects on the electroencephalogram of D. J. Jenden, M. D. Fairchild, M. R. Mickey, R. W. Silverman, Coralee Yale Robust estimates, residuals, and outlier detection with multiresponse data R. Gnanadesikan and J. R. Kettenring Covariance selection. A. P. Dempster Plots of high-dimensional data. D. F. Andrews Log linear models and tests of independence for contingency tables. J. E. Grizzle and O. D. Williams
The analysis of incomplete multiway contingency tables
Selection problems under multivariate normal distribution Y. Y. Wang An illustration of the principal ideas of MANOVA. U. Rempe and E. E. Weber

Biometrics is published quarterly. Its objects are to describe and exemplify the use of mathematical and statistical methods in biological and related sciences in a form assimilable by experimenters. The annual non-member subscription rate \$15.00. Inquiries, non-member subscriptions, and orders for back issues, should be addressed to: Biometrics Business Office, Department of Experimental Statistics, North Carolina 27607 U.S.A. Editorial correspondence should be directed to: Biometrics Editorial Office, Department of Biostatistics, School of Public Health, University of North Carolina, Chapel Hill, North Carolina 27514 U.S.A.

TECHNOMETRICS

A Journal of Statistics for the Physical, Chemical and Engineering Sciences

CONTENTS

TECHNOMETRICS, Vol. 14, No. 1, FEBRUARY 1972

Enduring Values
Estimation in the Truncated Bivariate Poisson Distribution. On the Analysis of Response Curve Data
On An Iterative Procedure for Estimating Functions When Both Variables are Subject to Error. J. P. Chandler An Approximate Pitman-Type 'Close' Estimator for the Negative Binomial Parameter p
A Combination of F-Statistics. Residuals and Their Variance Patterns. Clinor S. Pape Group Testing in the Presence of Test Error; An Extension of the Dorfman Procedure
A Sequential Probability Ratio Test for Availability
Robust Estimation of Straight Line Regression Coefficients by Minimizing pth Power Deviations
On Group Sequential Sampling. Alan B. Forsythe A Short Life Test for Comparing a Sample with Previous Accelerated Test Results. A Double Sampling Scheme for Estimating from Misclassified Multinomial Data with Applications to Sampling Inspection. Aaron Tenenbein Simultaneous Prediction Intervals for a Regression Model. OTES Gerald J. Hahn Alan B. Forsythe
Rounding Errors in the Independent Variables in a General Linear Model
A Note on Selection of the Greatest Exceedance Probability

The purpose of TECHNOMETRICS is to contribute to the development and use of statistical methods in the physical, chemical and engineering sciences. This objective places a high premium on succinct communication among the physical scientist, engineer, statistician and mathematician. The journal will accept for publication papers describing new statistical techniques expected to be useful in these sciences, papers illustrating the application of known statistical methods to new or novel environments, expository or tutorial papers on particular statistical methods, and papers dealing with the philosophy and problems of applying statistical methods to research, development, design and performance. Brief descriptions of problems requiring solution and short technical notes will also be accepted for publication.

For further information please contact TECHNOMETRICS Post Office Box 587 Benjamin Franklin Station Washington, D. C. 20004.

JOURNAL OF THE ROYAL STATISTICAL SOCIETY

THE JOURNAL OF THE ROYAL STATISTICAL SOCIETY is published in three series, SERIES A (General), four issues a year, annual subscription, post free, £6. U.S. \$15: price each part £2: SERIES B (METHODOLOGICAL), three issues a year, annual subscription post free, £4.75 U. S. \$12: price each part £2: SERIES C (APPLIED STATISTICS), three issues a year, annual subscription £2; U. S. \$5, price each part £1.

Reviews; Current Notes; Library Accessions Contents of SERIES B (METHODOLOGICAL), Vol. 33, No. 3, 1971

Formal expressions which can be applied to cusum charts (with Discussion) K. Kemp Bayes, fiducial and frequency aspects of statistical inference in regression analysis in survey sampling (with Discussion) V. P. Godambe and M. E. Thompson
The efficient use of supplementary information in standard sampling procedure E. K. Foreman and K. R.
W. Brewer

W. Brewer
The covariance structure of the departure process from M/G/I queues with finite waiting lines R. A. King
Weakly stationary point processes and random measures D. J. Daley
Some specific results in sequential design R. Bohrer
Point spectra of some mutually exciting point processes A. G. Hawkes
Sampling moments of moments associated with univariate distributions L. R. Shenton, K. O. Bowman and
D. Shewer. D. SHEEHAN

The Royal Statistical Society 21, Bentinck Street, London, W. 1

JOURNAL OF THE AMERICAN STATISTICAL ASSOCIATION

Volume 66	December 1971	Number 336
On the Estimation of Lifetime In On the Correlation Between Met The Optimal Measure of Concer Tailored Testing, An Application Prediction and Control of the Size Processing Survey Data with O Experiments in Obtaining Consur Inference in Two-Phase Regree Regression Updating	reperimental Results. come ropolitan Area In- and Out-Migration by Octration of Stochastic Approximation. e of an Input-Output System. John J. Wiork refered Alternative Hypothese. mer Expenditures by Diary Methods. Seymossion ctions from Linear Y-on-X Regression Lines	Martin M. G. Fase cupation Leroy O. Stone Bailey and Stanley E. Boyle
A Simple Method for the Constru	action of Empirical Confidence Limits for Ec $W H Wi$	
Square Statistic	s with Respect to Sample Size Commonly In	aposed on the Use of the Chi- coscoe and Jackson A. Byars
	n of Accuracy in Trade Recording	Paul Luey
Fundamental Queries in Aggre Theory and Methods	gation Theory	
	tities and Expectations	
Limiting the Risk of Bayes and l	Empirical Bayes Estimators—Part I: The Ba	
On the Sign Test for Symmetr Finding a Single Defective in Bi NPS Sampling Designs and the Approximately Optimum Stratifi Bayes Estimates for Subclasses in	el of Some One-Sample Tests Joseph L.	Gastwirth and Herman RubinJoseph L. Gastwirth lar Kumar and Milton SobelT. J. RaoRavindra Singh zir Scott and T. M. F. Smith
A Problem in Accelerated Life Objective Criteria for the Evaluati Discrimination and Confidence B	ent Exponential Series Systems. Gerald J. Li Testing on of Clustering Methods	Nozer D. Singpurwalla William M. Rand inhorst and David C. Bowden
A Truncated Test for Choosing the A Sequential Test for Gamma D	Better of Two Binomial Populations. James istributions. native"	E. Kiefer and George H. Weiss
	e Model	
Statistics	of the Parameters of the Logistic Distribut Lai K. Chan	a, N. N. Chan and E. R. Mead
Approximation of Tail Probabilit Maximum Likelihood Estimation	ies by Means of the B_n -Transformation of the Linear Expenditure System	H. L. Gray and T. O. Lewis
Comparison of Tests of the Equa	ality of Dependent Correlation Coefficients $Olive\ Je$	an Dunn and Virginia Clark
tributions Power Function of the F -Test Un	tervals on the Standard Deviation and Varia P . David Wider Non-Normal Situations.	nce Ratio from Normal Dis-
BOOK REVIEWS CORRIGENDA INDEX TO VOLUME 66		
	or further information, please contact:	

For further information, please contact:

AMERICAN STATISTICAL ASSOCIATION

806 15th Street, N.W.

Washington, D. C. 20005

MEETINGS OF THE INSTITUTE

NOTE: This calendar lists all of the meetings which have been approved by the IMS Council to date. Meeting dates which fall rather far in the future are subject to change.

Meet- ing No.	Place	Date	Abstract Deadline*	Joint With
132	Blacksburg, Virginia (Eastern Regional)	April 17–19, 1972	February 16, 1972	ASA
133	Ames, Iowa (Central Regional)	April 26-28, 1972	February 16, 1972	ASA, ENAR
134	Seattle, Washington (Western Regional)	June 19–21, 1972	April 19, 1972	
135	Montreal, Canada (Special Eastern Regional)	August 13–17, 1972	June 14, 1972	
136	Hanover, New Hampshire (Annual)	August 28-31, 1972	June 14, 1972	AMS
	Ithaca, New York (Eastern Regional)	Spring 1973		ASA, ENAR
	Albuquerque, New Mexico	Spring 1973		
	(Western Regional)			

^{*} Abstracts should be submitted in duplicate to the Executive Secretary on abstract blanks which may be obtained from him. Abstracts of papers to be presented in person at the meetings must be received on or before the corresponding deadline. Only one contributed paper may be given in person at any one meeting. Abstracts contributed by title may be submitted at any time and will be printed in the next issue to go to press. Abstracts should not exceed 200 words and should avoid displayed expressions and complicated formulae. They can be accepted from non-members of the IMS only if introduced by members. Abstracts must follow the stylistic requests on the abstract blank or they may be returned.

THE ANNALS OF MATHEMATICAL STATISTICS

INSTRUCTIONS FOR AUTHORS

Submission of Papers. Papers to be submitted for publication should be sent to the Editor of the Annals of Mathematical Statistics. (For current address, see the latest issue of the Annals.) The original (or xerox copy) should be submitted with two additional copies on paper that will take ink corrections. The manuscript will not normally be returned to the author; when expressly requested by the author, one copy of the manuscript will be returned.

Preparation of Manuscripts. Manuscripts should be typewritten, entirely double-spaced, including references, with wide margins at sides, top and bottom. Dittoed or mimeographed papers are acceptable only if completely legible; xerox copies are preferable. When technical reports are submitted, all extraneous sheets and covers should be removed.

Submission of Reference Papers. Copies (preferably two) of unpublished or not easily available papers cited in the manuscript should be submitted with the manuscript.

Title and Abbreviated Title. The title should be descriptive and as concise as is feasible, i.e., it should indicate the topic of the paper as clearly as possible, but every word in it should be pertinent. An abbreviated title to be used as a running head is also required, and should be given below the main title. This should normally not exceed 35 characters. For example, a title might be "A Limit Theorem for Conditioned Recurrent Random Walk Attracted to a Stable Law," with the running head "Limit Theorem for Recurrent Random Walk" or possibly "Recurrent Random Walk Attracted to a Stable Law", depending on the emphasis to be conveyed.

Abstract. Each manuscript is required to contain an abstract, which will be printed immediately after the title, clearly separated from the rest of the paper. Its main purpose is to inform the reader quickly of the nature and results of the paper; it may also be used as an aid in retrieving information. The length of an abstract will clearly depend on the length and difficulty of the paper, but in general it should not exceed 150 words. It should be typed on a separate page, under the heading "Abstract", followed by the title of the paper. Formulas should be used as sparingly as possible. The abstract should not make reference to results or formulas in the body of the paper—it should be self-contained.

Footnotes. Footnotes should be reduced to a minimum and, where possible, should be replaced by remarks in the text or in the references; formulas in footnotes should be avoided. Footnotes in the text should be identified by superscript numbers and typed together, double-spaced, on a separate page.

Key Words. Included as the first footnote on page 1 should be the headings:

American Mathematical Society 1970 subject classification. Primary—; Secondary—. Key words and phrases:

The classification numbers representing the primary and secondary subjects of the article may be found with instructions for its use, as an Appendix to Mathematical Reviews Index to Volume 39, June 1970. (See, also, The Notices of the American Mathematical Society, June 1970, pp. 616-618, for more details.) The key words and phrases should describe the subject matter of the article; generally they should be taken from the body of the paper.

List of Symbols. A completely typewritten list of symbols, identified typographically, not mathematically, should be attached to the manuscript on a separate page. Distinguish between "oh" and "zero"; "ell" and "one"; "kappa" and "kay", etc. Indicate also when special type is required (Greek, German, script, boldface, etc.); other letters will be set in italics.

Figures and Tables. Figures, charts, and diagrams should be prepared in a form suitable for photographic reproduction and should be professionally drawn twice the size they are to be printed. (These need not be submitted until the paper has been accepted for publication.) Tables should be typed on separate pages with accompanying footnotes immediately below the table.

Formulas. Fractions in the text are preferably written with the solidus or negative exponent; thus, (a + b)/(c + d) is preferred to $\frac{a+b}{c+d}$, and

 $(2\pi)^{-1}$ or $1/(2\pi)$ to $\frac{1}{2\pi}$. Also, $a^{b(e)}$ and $a_{b(e)}$ are preferred to a^{be} and a_{be} , respectively. Complicated exponentials should be represented with the symbol exp. A fractional exponent is preferable to a radical sign.

References. References should be typed double-spaced and should follow the style:

[5] Wilks, S. S. (1938). The large-sample distribution of the likelihood ratio for testing composite hypotheses. Ann. Math. Statist. 9 60-62.

In textual material, the format "... Wilks (1938) ..." is normally preferred to "... Wilks [5] ...". Multiple references can be distinguished as "... Wilks (1938a) ...". Abbreviations for journals should be taken from *Mathematical Reviews* Index to Volume 40, 1970, pp. 1683-1702.

Proofs. Author will ordinarily receive galley proofs. Corrected galley proofs should be sent to the Managing Editor of the Annals of Mathematical Statistics. (For current address, see the latest issue of the Annals.)

Contents (Continued)

Families of infinitely divisible distributions closed under mixing and convolution J. Keilson and F. W. Steutel 242
Local limit theorems and recurrence conditions for sums of independent integer-valued random variables
A class of random convex polytopes
Rates of convergence for some functionals in probabilitySTANLEY SAWYER 273
Continuity properties of some Gaussian processesChristopher Preston 285
The occupation time of a set by countably many recurrent random walks. N. A. Weiss 293
A variational characterization of finite Markov chains Frank Spitzer 303
A stability of symmetrization of product measures with few distinct factors James Hannan and J. S. Huang 308
A generalization of separable stochastic processes
Structural distributions without exact transitivityJames V. Bondar 326
Short Communications
Stein-James estimators of a multivariate location parameterSERGE L. WIND 340
On the expected values of the elementary symmetric functions of a noncentral Wishart matrix
mauta
A note on Robbins' compound decision procedureJ. S. Huang 348
A note on Robbins' compound decision procedure
A note on Robbins' compound decision procedureJ. S. Huang 348 Asymptotic normality of sums of minima of random variablesThomas Höglund 351
A note on Robbins' compound decision procedure
A note on Robbins' compound decision procedure
A note on Robbins' compound decision procedure
A note on Robbins' compound decision procedure