

CONTENTS OF VOLUME 23

Articles

ADLER, ROBERT J., MIKOSCH, THOMAS, GADRICH, TAMAR AND KLÜPPELBERG, CLAUDIA. Parameter estimation for ARMA models with infinite variance innovations	305–326
ANDERSON, CHARLES AND PAL, NABENDU. A note on admissibility when precision is unbounded	593–597
ANDREWS, DONALD W. K. AND PLOBERGER, WERNER. Admissibility of the likelihood ratio test when a nuisance parameter is present only under the alternative	1609–1629
ARCONES, MIGUEL A. The asymptotic accuracy of the bootstrap of U -quantiles	1802–1822
BASU, SANJIB AND DASGUPTA, ANIRBAN. Robustness of standard confidence intervals for location parameters under departure from normality	1433–1442
BERGER, ROGER L. AND LIU, HUIMEI. Uniformly more powerful, one-sided tests for hypotheses about linear inequalities	55–72
BIRGÉ, LUCIEN AND MASSART, PASCAL. Estimation of integral functionals of a density	11–29
BORGAN, Ø., GOLDSTEIN, L. AND LANGHOLZ, B. Methods for the analysis of sampled cohort data in the Cox proportional hazards model	1749–1778
BUJA, ANDREAS, TIBSHIRANI, ROBERT AND HASTIE, TREVOR. Penalized discriminant analysis	73–102
CARROLL, R. J., KNICKERBOCKER, R. K. AND WANG, C. Y. Dimension reduction in a semiparametric regression model with errors in covariates	161–181
CHAN, GRACE, HALL, PETER AND POSKITT, D. S. Periodogram-based estimators of fractal properties	1684–1711
CHAN, NGAI HANG AND TERRIN, NORMA. Inference for unstable long-memory processes with applications to fractional unit root autoregressions	1662–1683
CHANG, TED AND KO, DAIJIN. M -estimates of rigid body motion on the sphere and in Euclidean space	1823–1847
CHAO, MIN-TE, LO, SHAW-HWA AND CHEN, KANI. On strong uniform consistency of the Lynden-Bell estimator for truncated data	440–449
CHEN, HANFENG. Tests following transformations	1587–1593
CHEN, HUNG. Asymptotically efficient estimation in semiparametric generalized linear models	1102–1129
CHEN, JIAHUA. Optimal rate of convergence for finite mixture models	221–233
CHEN, KANI, CHAO, MIN-TE AND LO, SHAW-HWA. On strong uniform consistency of the Lynden-Bell estimator for truncated data	440–449

CHENG, C. Uniform consistency of generalized kernel estimators of quantile density	2285–2291
CHENG, CHING-SHUI. Complete class results for the moment matrices of designs over permutation-invariant sets	41–54
CHENG, CHING-SHUI. Some projection properties of orthogonal arrays	1223–1233
CLARKE, B. AND GHOSH, J. K. Posterior convergence given the mean	2116–2144
CORCUERA, J. M. AND OLLER, J. M. Intrinsic analysis of statistical estimation	1562–1581
CSÖRGŐ, MIKLÓS AND HORVÁTH, LAJOS. On the distance between smoothed empirical and quantile processes	113–131
CSÖRGŐ, SÁNDOR AND MIELNICZUK, JAN. Density estimation under long-range dependence	990–999
CSÖRGŐ, SÁNDOR AND MIELNICZUK, JAN. Nonparametric regression under long-range dependent normal errors	1000–1014
DAHLHAUS, RAINER. Efficient location and regression estimation for long range dependent regression models	1029–1047
DASGUPTA, A., GHOSH, J. K. AND ZEN, M. M. A new general method for constructing confidence sets in arbitrary dimensions: with applications	1408–1432
DASGUPTA, ANIRBAN AND BASU, SANJIB. Robustness of standard confidence intervals for location parameters under departure from normality	1433–1442
DAVIS, RICHARD A., HUANG, DAWEI AND YAO, YI-CHING. Testing for a change in the parameter values and order of an autoregressive model	282–304
DETTE, H., HEILIGERS, B. AND STUDDEN, W. J. Minimax designs in linear regression models	30–40
DETTE, HOLGER AND WONG, WENG KEE. On G -efficiency calculation for polynomial models	2081–2101
DETTE, HOLGER. Optimal designs for identifying the degree of a polynomial regression	1248–1266
DINWOODIE, I. H. Stationary exponential families	327–337
DOKSUM, KJELL AND SAMAROV, ALEXANDER. Nonparametric estimation of global functionals and a measure of the explanatory power of covariates in regression	1443–1473
DONG, JIANPING AND SIMONOFF, JEFFREY S. A geometric combination estimator for d -dimensional ordinal sparse contingency tables	1143–1159
DOSS, HANI AND LI, GANG. An approach to nonparametric regression for life history data using local linear fitting	787–823
DREES, HOLGER. Refined Pickands estimators of the extreme value index	2059–2080
EFROMOVICH, SAM. Sequential nonparametric estimation with assigned risk	1376–1392

EGGERMONT, P. P. B. AND LARICCIA, V. N. Maximum smoothed likelihood density estimation for inverse problems	199–220
EISELE, JEFFREY R. AND WOODROOFE, MICHAEL B. Central limit theorems for doubly adaptive biased coin designs	234–254
ELLIS, STEVEN P. Dimension of the singular sets of plane-fitters	490–501
ENGEL, JOACHIM AND KNEIP, ALOIS. Model estimation in nonlinear regression under shape invariance	551–570
ERICKSON, ROY V., FABIAN, VÁCLAV AND MAŘÍK, JAN. An optimum design for estimating the first derivative	1234–1247
EUBANK, R. L., HART, J. D., SIMPSON, D. G. AND STEFANSKI, L. A. Testing for additivity in nonparametric regression	1896–1920
FABIAN, VÁCLAV, MAŘÍK, JAN AND ERICKSON, ROY V. An optimum design for estimating the first derivative	1234–1247
FALK, MICHAEL. On testing the extreme value index via the POT-method	2013–2035
FERGER, D. Nonparametric tests for nonstandard change-point problems	1848–1861
FLURY, BERNARD D., TARPEY, THADDEUS AND LI, LUNING. Principal points and self-consistent points of elliptical distributions	103–112
FOURDRINIER, DOMINIQUE AND WELLS, MARTIN T. Estimation of a loss function for spherically symmetric distributions in the general linear model	571–592
GADRICH, TAMAR, KLÜPPELBERG, CLAUDIA, ADLER, ROBERT J. AND MIKOSCH, THOMAS. Parameter estimation for ARMA models with infinite variance innovations	305–326
GASPARINI, MAURO. Exact multivariate Bayesian bootstrap distributions of moments	762–768
GHOSAL, SUBHASHIS, GHOSH, JAYANTA K. AND SAMANTA, TAPAS. On convergence of posterior distributions	2145–2152
GHOSH, J. K. AND CLARKE, B. Posterior convergence given the mean	2116–2144
GHOSH, J. K., ZEN, M. M. AND DASGUPTA, A. A new general method for constructing confidence sets in arbitrary dimensions: with applications	1408–1432
GHOSH, JAYANTA K., SAMANTA, TAPAS AND GHOSAL, SUBHASHIS. On convergence of posterior distributions	2145–2152
GILULA, ZVI AND HABERMAN, SHELBY J. Prediction functions for categorical panel data	1130–1142
GLAD, INGRID K. AND HJORT, NILS LID. Nonparametric density estimation with a parametric start	882–904
GOLDSTEIN, L., LANGHOLZ, B. AND BORGAN, Ø. Methods for the analysis of sampled cohort data in the Cox proportional hazards model	1749–1778
GORDON, LOUIS AND POLLAK, MOSHE. A robust surveillance scheme for stochastically ordered alternatives	1350–1375

GOVINDARAJULU, Z. AND YU, QIQING. Admissibility and minimaxity of the UMVU estimator of $P\{X < Y\}$	598–607
GREENWOOD, P. E. AND WEFELMEYER, W. Efficiency of empirical estimators for Markov chains	132–143
GROENEBOOM, PIET AND JONGBLOED, GEURT. Isotonic estimation and rates of convergence in Wicksell’s problem	1518–1542
GRUND, BIRGIT AND HALL, PETER. On the minimisation of L^p error in mode estimation.	2264–2284
GU, CHONG, KLEIN, RONALD, KLEIN, BARBARA, WAHBA, GRACE AND WANG, YUEDONG. Smoothing spline ANOVA for exponential families, with application to the Wisconsin epidemiological study of diabetic retinopathy	1865–1895
GUSTAFSON, PAUL AND WASSERMAN, LARRY. Local sensitivity diagnostics for Bayesian inference	2153–2167
HABERMAN, SHELBY J. AND GILULA, ZVI. Prediction functions for categorical panel data	1130–1142
HALL, PETER AND GRUND, BIRGIT. On the minimisation of L^p error in mode estimation.	2264–2284
HALL, PETER AND JING, BING-YI. Uniform coverage bounds for confidence intervals and Berry–Esseen theorems for Edgeworth expansion	363–375
HALL, PETER AND PATIL, PRAKASH. Formulae for mean integrated squared error of nonlinear wavelet-based density estimators	905–928
HALL, PETER, HU, TIEN CHUNG AND MARRON, J. S. Improved variable window kernel estimates of probability densities. . .	1–10
HALL, PETER, LAHIRI, SOUMENDRA NATH AND POLZEHL, JÖRG. On bandwidth choice in nonparametric regression with both short- and long-range dependent errors	1921–1936
HALL, PETER, LAHIRI, SOUMENDRA NATH AND TRUONG, YOUNG K. On bandwidth choice for density estimation with dependent data	2241–2263
HALL, PETER, POSKITT, D. S. AND CHAN, GRACE. Periodogram-based estimators of fractal properties	1684–1711
HART, J. D., SIMPSON, D. G., STEFANSKI, L. A. AND EUBANK, R. L. Testing for additivity in nonparametric regression	1896–1920
HASTIE, TREVOR, BUJA, ANDREAS AND TIBSHIRANI, ROBERT. Penalized discriminant analysis	73–102
HEILIGERS, B., STUDDEN, W. J. AND DETTE, H. Minimax designs in linear regression models	30–40
HENGARTNER, NICOLAS W. AND STARK, PHILIP B. Finite-sample confidence envelopes for shape-restricted densities	525–550
HJORT, NILS LID AND GLAD, INGRID K. Nonparametric density estimation with a parametric start	882–904
HÖSSJER, OLA AND RUPPERT, DAVID. Asymptotics for the transformation kernel density estimator	1198–1222

HORVÁTH, LAJOS AND CSÖRGŐ, MIKLÓS. On the distance between smoothed empirical and quantile processes	113–131
HU, TIEN CHUNG, MARRON, J. S. AND HALL, PETER. Improved variable window kernel estimates of probability densities . . .	1–10
HUANG, DAWEI, YAO, YI-CHING AND DAVIS, RICHARD A. Testing for a change in the parameter values and order of an autoregressive model	282–304
JACOBSEN, MARTIN AND KEIDING, NIELS. Coarsening at random in general sample spaces and random censoring in continuous time	774–786
JING, BING-YI AND HALL, PETER. Uniform coverage bounds for confidence intervals and Berry–Esseen theorems for Edgeworth expansion	363–375
JONGBLOED, GEURT AND GROENEBOOM, PIET. Isotonic estimation and rates of convergence in Wicksell’s problem	1518–1542
KADANE, JOSEPH B., SEIDENFELD, TEDDY AND SCHERVISH, MARK J. A representation of partially ordered preferences	2168–2217
KALLENBERG, WILBERT C. M. AND LEDWINA, TERESA. Consistency and Monte Carlo simulation of a data driven version of smooth goodness-of-fit tests.	1594–1608
KEIDING, NIELS AND JACOBSEN, MARTIN. Coarsening at random in general sample spaces and random censoring in continuous time	774–786
KLEIN, BARBARA, WAHBA, GRACE, WANG, YUEDONG, GU, CHONG AND KLEIN, RONALD. Smoothing spline ANOVA for exponential families, with application to the Wisconsin epidemiological study of diabetic retinopathy	1865–1895
KLEIN, RONALD, KLEIN, BARBARA, WAHBA, GRACE, WANG, YUEDONG AND GU, CHONG. Smoothing spline ANOVA for exponential families, with application to the Wisconsin epidemiological study of diabetic retinopathy	1865–1895
KLÜPPELBERG, CLAUDIA, ADLER, ROBERT J., MIKOSCH, THOMAS AND GADRICH, TAMAR. Parameter estimation for ARMA models with infinite variance innovations.	305–326
KNEIP, ALOIS AND ENGEL, JOACHIM. Model estimation in nonlinear regression under shape invariance	551–570
KNICKERBOCKER, R. K., WANG, C. Y. AND CARROLL, R. J. Dimension reduction in a semiparametric regression model with errors in covariates	161–181
KO, DAIJIN AND CHANG, TED. M -estimates of rigid body motion on the sphere and in Euclidean space	1823–1847
KOROSTELEV, A. P., SIMAR, L. AND TSYBAKOV, A. B. Efficient estimation of monotone boundaries.	476–489
KOUL, HIRA L. AND SALEH, A. K. MD. E. Autoregression quantiles and related rank-scores processes	670–689

KULKARNI, SANJEEV R. AND ZEITOUNI, OFER. A general classification rule for probability measures	1393–1407
LARICCIA, V. N. AND EGGERMONT, P. P. B. Maximum smoothed likelihood density estimation for inverse problems	199–220
LAHIRI, S. N. On the asymptotic behaviour of the moving block bootstrap for normalized sums of heavy-tail random variables	1331–1349
LAHIRI, SOUMENDRA NATH, POLZEHL, JÖRG AND HALL, PETER. On bandwidth choice in nonparametric regression with both short- and long-range dependent errors	1921–1936
LAHIRI, SOUMENDRA NATH, TRUONG, YOUNG K. AND HALL, PETER. On bandwidth choice for density estimation with dependent data	2241–2263
LANGHOLZ, B., BORGAN, Ø. AND GOLDSTEIN, L. Methods for the analysis of sampled cohort data in the Cox proportional hazards model	1749–1778
LEDWINA, TERESA AND KALLENBERG, WILBERT C. M. Consistency and Monte Carlo simulation of a data driven version of smooth goodness-of-fit tests	1594–1608
LEE, STEPHEN M. S. AND YOUNG, G. ALASTAIR. Asymptotic iterated bootstrap confidence intervals	1301–1330
LI, GANG AND DOSS, HANI. An approach to nonparametric regression for life history data using local linear fitting	787–823
LI, LUNING, FLURY, BERNARD D. AND TARPEY, THADDEUS. Principal points and self-consistent points of elliptical distributions	103–112
LI, TA-HSIN. Blind deconvolution of linear systems with multi-level nonstationary inputs	690–704
LIN, D. Y. AND YING, ZHILIANG. Semiparametric analysis of general additive–multiplicative hazard models for counting processes	1712–1734
LINTON, OLIVER B. AND NIELSEN, JENS P. Kernel estimation in a nonparametric marker dependent hazard model	1735–1748
LIU, HUIMEI AND BERGER, ROGER L. Uniformly more powerful, one-sided tests for hypotheses about linear inequalities	55–72
LO, SHAW-HWA, CHEN, KANI AND CHAO, MIN-TE. On strong uniform consistency of the Lynden-Bell estimator for truncated data	440–449
LOW, MARK G. Bias–variance tradeoffs in functional estimation problems	824–835
MÄCHLER, MARTIN B. Variational solution of penalized likelihood problems and smooth curve estimation	1496–1517
MAMMEN, E. AND TSYBAKOV, A. B. Asymptotical minimax recovery of sets with smooth boundaries	502–524
MAŘÍK, JAN, ERICKSON, ROY V. AND FABIAN, VÁCLAV. An optimum design for estimating the first derivative	1234–1247

MARDIA, KANTI V. AND PRENTICE, MICHAEL J. Shape changes in the plane for landmark data	1960–1974
MARRON, J. S., HALL, PETER AND HU, TIEN CHUNG. Improved variable window kernel estimates of probability densities . . .	1–10
MARTINSEK, ADAM T. AND XU, YI. Sequential confidence bands for densities	2218–2240
MASSART, PASCAL AND BIRGÉ, LUCIEN. Estimation of integral functionals of a density	11–29
MCCABE, B. P. M. AND TREMAYNE, A. R. Testing a time series for difference stationarity	1015–1028
MCKEAGUE, IAN W., NIKABADZE, A. M. AND SUN, YANQING. An omnibus test for independence of a survival time from a covariate	450–475
MCLEOD, A. IAN, THOMPSON, MARY E. AND VALZ, PAUL D. Cumulant generating function and tail probability approximations for Kendall's score with tied rankings	144–160
MIELNICZUK, JAN AND CSÖRGŐ, SÁNDOR. Density estimation under long-range dependence	990–999
MIELNICZUK, JAN AND CSÖRGŐ, SÁNDOR. Nonparametric regression under long-range dependent normal errors	1000–1014
MIKOSCH, THOMAS, GADRICH, TAMAR, KLÜPPELBERG, CLAUDIA AND ADLER, ROBERT J. Parameter estimation for ARMA models with infinite variance innovations	305–326
MÜLLER, HANS-GEORG AND ZHAO, PENG-LIANG. On a semiparametric variance function model and a test for heteroscedasticity	946–967
MUKERJEE, RAHUL AND WU, C. F. JEFF. On the existence of saturated and nearly saturated asymmetrical orthogonal arrays	2102–2115
MURPHY, S. A. Asymptotic theory for the frailty model	182–198
MYKLAND, PER ASLAK. Dual likelihood	396–421
MYKLAND, PER ASLAK. Martingale expansions and second order inference	707–731
NEUMANN, MICHAEL H. Automatic bandwidth choice and confidence intervals in nonparametric regression	1937–1959
NIELSEN, JENS P. AND LINTON, OLIVER B. Kernel estimation in a nonparametric marker dependent hazard model	1735–1748
NIKABADZE, A. M., SUN, YANQING AND MCKEAGUE, IAN W. An omnibus test for independence of a survival time from a covariate	450–475
NYCHKA, DOUGLAS. Splines as local smoothers	1175–1197
O'SULLIVAN, FINBARR. A study of least squares and maximum likelihood for image reconstruction in positron emission tomography	1267–1300
OLLER, J. M. AND CORCUERA, J. M. Intrinsic analysis of statistical estimation	1562–1581

PAL, NABENDU AND ANDERSON, CHARLES. A note on admissibility when precision is unbounded	593–597
PATIL, PRAKASH AND HALL, PETER. Formulae for mean integrated squared error of nonlinear wavelet-based density estimators	905–928
PISTONE, GIOVANNI AND SEMPI, CARLO. An infinite-dimensional geometric structure on the space of all the probability measures equivalent to a given one	1543–1561
PLOBERGER, WERNER AND ANDREWS, DONALD W. K. Admissibility of the likelihood ratio test when a nuisance parameter is present only under the alternative	1609–1629
POLLAK, MOSHE AND GORDON, LOUIS. A robust surveillance scheme for stochastically ordered alternatives	1350–1375
POLONIK, WOLFGANG. Measuring mass concentrations and estimating density contour clusters—an excess mass approach	855–881
POLZEHL, JÖRG, HALL, PETER AND LAHIRI, SOUMENDRA NATH. On bandwidth choice in nonparametric regression with both short- and long-range dependent errors	1921–1936
POSKITT, D. S., CHAN, GRACE AND HALL, PETER. Periodogram-based estimators of fractal properties	1684–1711
PRENTICE, MICHAEL J. AND MARDIA, KANTI V. Shape changes in the plane for landmark data	1960–1974
RICHARDS, DONALD ST. P. Exact asymptotics for some probability distributions on compact manifolds	1582–1586
ROBINSON, P. M. Gaussian semiparametric estimation of long range dependence	1630–1661
ROBINSON, P. M. Log-periodogram regression of time series with long range dependence	1048–1072
ROSENTHAL, JEFFREY S. Rates of convergence for Gibbs sampling for variance component models	740–761
RÜSCHENDORF, LUDGER. Convergence of the iterative proportional fitting procedure	1160–1174
RUBIN, HERMAN AND SONG, KAI-SHENG. Exact computation of the asymptotic efficiency of maximum likelihood estimators of a discontinuous signal in a Gaussian white noise	732–739
RUPPERT, DAVID AND HÖSSJER, OLA. Asymptotics for the transformation kernel density estimator	1198–1222
SALEH, A. K. MD. E. AND KOUL, HIRA L. Autoregression quantiles and related rank-scores processes	670–689
SAMANTA, TAPAS, GHOSAL, SUBHASHIS AND GHOSH, JAYANTA K. On convergence of posterior distributions	2145–2152
SAMAROV, ALEXANDER AND DOKSUM, KJELL. Nonparametric estimation of global functionals and a measure of the explanatory power of covariates in regression	1443–1473
SCHERVISH, MARK J., KADANE, JOSEPH B. AND SEIDENFELD, TEDDY. A representation of partially ordered preferences	2168–2217

SEIDENFELD, TEDDY, SCHERVISH, MARK J. AND KADANE, JOSEPH B. A representation of partially ordered preferences	2168–2217
SEMPI, CARLO AND PISTONE, GIOVANNI. An infinite-dimensional geometric structure on the space of all the probability mea- sures equivalent to a given one	1543–1561
SHEN, LARRY Z. On optimal B-robust influence functions in semiparametric models	968–989
SHEN, XIAOTONG AND WONG, WING HUNG. Probability inequali- ties for likelihood ratios and convergence rates of sieve MLEs	339–362
SIEGMUND, D. AND VENKATRAMAN, E. S. Using the generalized likelihood ratio statistic for sequential detection of a change-point	255–271
SIEGMUND, DAVID O. AND WORSLEY, KEITH J. Testing for a sig- nal with unknown location and scale in a stationary Gauss- ian random field	608–639
SIMAR, L., TSYBAKOV, A. B. AND KOROSTELEV, A. P. Efficient estimation of monotone boundaries	476–489
SIMONOFF, JEFFREY S. AND DONG, JIANPING. A geometric combi- nation estimator for d -dimensional ordinal sparse contin- gency tables	1143–1159
SIMPSON, D. G., STEFANSKI, L. A., EUBANK, R. L. AND HART, J. D. Testing for additivity in nonparametric regression	1896–1920
SONG, KAI-SHENG AND RUBIN, HERMAN. Exact computation of the asymptotic efficiency of maximum likelihood estimators of a discontinuous signal in a Gaussian white noise	732–739
STARK, PHILIP B. AND HENGARTNER, NICOLAS W. Finite-sample confidence envelopes for shape-restricted densities	525–550
STEFANOV, VALERI T. Explicit limit results for minimal suffi- cient statistics and maximum likelihood estimators in some Markov processes: exponential families approach	1073–1101
STEFANSKI, L. A., EUBANK, R. L., HART, J. D. AND SIMPSON, D. G. Testing for additivity in nonparametric regression	1896–1920
STEIN, MICHAEL L. Predicting integrals of random fields using observations on a lattice	1975–1990
STEIN, MICHAEL L. Locally lattice sampling designs for isotropic random fields	1991–2012
STUDDEN, W. J., DETTE, H. AND HEILIGERS, B. Minimax designs in linear regression models	30–40
STUTE, WINFRIED. The central limit theorem under random censorship	422–439
SUN, YANQING, MCKEAGUE, IAN W. AND NIKABADZE, A. M. An omnibus test for independence of a survival time from a covariate	450–475
TARPEY, THADDEUS, LI, LUNING AND FLURY, BERNARD D. Princi- pal points and self-consistent points of elliptical distribu- tions	103–112

TERRIN, NORMA AND CHAN, NGAI HANG. Inference for unstable long-memory processes with applications to fractional unit root autoregressions	1662–1683
THOMPSON, MARY E., VALZ, PAUL D. AND MCLEOD, A. IAN. Cumulant generating function and tail probability approximations for Kendall’s score with tied rankings.	144–160
TIBSHIRANI, ROBERT, HASTIE, TREVOR AND BUJA, ANDREAS. Penalized discriminant analysis	73–102
TREMAYNE, A. R. AND MCCABE, B. P. M. Testing a time series for difference stationarity	1015–1028
TRUONG, YOUNG K., HALL, PETER AND LAHIRI, SOUMENDRA NATH. On bandwidth choice for density estimation with dependent data	2241–2263
TSYBAKOV, A. B. AND MAMMEN, E. Asymptotical minimax recovery of sets with smooth boundaries	502–524
TSYBAKOV, A. B., KOROSTELEV, A. P. AND SIMAR, L. Efficient estimation of monotone boundaries.	476–489
VALZ, PAUL D., MCLEOD, A. IAN AND THOMPSON, MARY E. Cumulant generating function and tail probability approximations for Kendall’s score with tied rankings	144–160
VAN DE GEER, SARA. Exponential inequalities for martingales, with application to maximum likelihood estimation for counting processes	1779–1801
VENKATRAMAN, E. S. AND SIEGMUND, D. Using the generalized likelihood ratio statistic for sequential detection of a change-point.	255–271
WAHBA, GRACE, WANG, YUEDONG, GU, CHONG, KLEIN, RONALD AND KLEIN, BARBARA. Smoothing spline ANOVA for exponential families, with application to the Wisconsin epidemiological study of diabetic retinopathy	1865–1895
WANG, C. Y., CARROLL, R. J. AND KNICKERBOCKER, R. K. Dimension reduction in a semiparametric regression model with errors in covariates.	161–181
WANG, YUEDONG, GU, CHONG, KLEIN, RONALD, KLEIN, BARBARA AND WAHBA, GRACE. Smoothing spline ANOVA for exponential families, with application to the Wisconsin epidemiological study of diabetic retinopathy	1865–1895
WASSERMAN, LARRY AND GUSTAFSON, PAUL. Local sensitivity diagnostics for Bayesian inference	2153–2167
WEFELMEYER, W. AND GREENWOOD, P. E. Efficiency of empirical estimators for Markov chains	132–143
WEI, XIAOYING. Asymptotically efficient estimation of the index of regular variation.	2036–2058
WELLS, MARTIN T. AND FOURDRINIER, DOMINIQUE. Estimation of a loss function for spherically symmetric distributions in the general linear model.	571–592

WONG, WENG KEE AND DETTE, HOLGER. On G -efficiency calculation for polynomial models	2081–2101
WONG, WING HUNG AND SHEN, XIAOTONG. Probability inequalities for likelihood ratios and convergence rates of sieve MLEs	339–362
WOODROOFE, MICHAEL B. AND EISELE, JEFFREY R. Central limit theorems for doubly adaptive biased coin designs	234–254
WORSLEY, K. J. Estimating the number of peaks in a random field using the Hadwiger characteristic of excursion sets, with applications to medical images	640–669
WORSLEY, KEITH J. AND SIEGMUND, DAVID O. Testing for a signal with unknown location and scale in a stationary Gaussian random field	608–639
WU, C. F. JEFF AND MUKERJEE, RAHUL. On the existence of saturated and nearly saturated asymmetrical orthogonal arrays	2102–2115
WU, COLIN O. Estimating the real parameter in a two-sample proportional odds model	376–395
WU, TIEE-JIAN. Adaptive root n estimates of integrated squared density derivatives	1474–1495
XIANG, XIAOJING. Deficiency of the sample quantile estimator with respect to kernel quantile estimators for censored data	836–854
XU, JIAN-LUN AND YANG, GRACE L. A note on a characterization of the exponential distribution based on a type II censored sample	769–773
XU, YI AND MARTINSEK, ADAM T. Sequential confidence bands for densities	2218–2240
YAKIR, BENJAMIN. A note on the run length to false alarm of a change-point detection policy	272–281
YANG, GRACE L. AND XU, JIAN-LUN. A note on a characterization of the exponential distribution based on a type II censored sample	769–773
YAO, YI-CHING, DAVIS, RICHARD A. AND HUANG, DAWEL. Testing for a change in the parameter values and order of an autoregressive model	282–304
YING, ZHILIANG AND LIN, D. Y. Semiparametric analysis of general additive–multiplicative hazard models for counting processes	1712–1734
YOUNG, G. ALASTAIR AND LEE, STEPHEN M. S. Asymptotic iterated bootstrap confidence intervals	1301–1330
YU, QIQING AND GOVINDARAJULU, Z. Admissibility and minimaxity of the UMVU estimator of $P\{X < Y\}$	598–607
ZEITOUNI, OFER AND KULKARNI, SANJEEV R. A general classification rule for probability measures	1393–1407
ZEN, M. M., DASGUPTA, A. AND GHOSH, J. K. A new general method for constructing confidence sets in arbitrary dimensions: with applications.	1408–1432

ZHANG, CUN-HUI. On estimating mixing densities in discrete exponential family models	929–945
ZHAO, PENG-LIANG AND MÜLLER, HANS-GEORG. On a semiparametric variance function model and a test for heteroscedasticity	946–967

Corrections

DAWID, A. P. AND LAURITZEN, S. L. Hyper Markov laws in the statistical analysis of decomposable graphical models	1864
GHOSH, J. K., HALL, W. J. AND WIJSMAN, R. A. The relationship between sufficiency and invariance with applications in sequential analysis	705
HALL, W. J., WIJSMAN, R. A. AND GHOSH, J. K. The relationship between sufficiency and invariance with applications in sequential analysis	705
LAURITZEN, S. L. AND DAWID, A. P. Hyper Markov laws in the statistical analysis of decomposable graphical models	1864
MENÉNDEZ, J. A. AND SALVADOR, B. Anomalies of the likelihood ratio test for testing restricted hypotheses	2292
SALVADOR, B. AND MENÉNDEZ, J. A. Anomalies of the likelihood ratio test for testing restricted hypotheses	2292
SCHICK, ANTON. On efficient estimation in regression models . . .	1862–1863
WIJSMAN, R. A., GHOSH, J. K. AND HALL, W. J. The relationship between sufficiency and invariance with applications in sequential analysis	705