

Sumari

Articles

| | |
|--|---------|
| J. Mozo Fernández, R. Schäfke , Asymptotic expansions and summability with respect to an analytic germ | 3–79 |
| J. Loubani , Moduli spaces of a family of topologically non quasi-homogeneous functions | 81–104 |
| A. Belotto da Silva, J. G. Espín Buendía , Topological classification of limit periodic sets of polynomial planar vector fields .. | 105–123 |
| J. Cirici, A. Roig , Sullivan minimal models of operad algebras | 125–154 |
| A. Amenta, E. Lorist, M. Veraar , Rescaled extrapolation for vector-valued functions | 155–182 |
| J.-F. Lafont, D. B. McReynolds , Primitive geodesic lengths and (almost) arithmetic progressions | 183–218 |
| A. Męcel, J. Okniński , Growth alternative for Hecke–Kiselman monoids | 219–240 |
| L. Li, A. M. Peralta, L. Wang, Y.-S. Wang , Weak-2-local isometries on uniform algebras and Lipschitz algebras | 241–264 |
| D. Fernández-Ternero, E. Macías-Virgós, E. Minuz, J. A. Vilches , Simplicial Lusternik–Schnirelmann category | 265–293 |
| B. Claudon, F. Loray, J. V. Pereira, F. Touzet , Holonomy representation of quasi-projective leaves of codimension one foliations | 295–305 |
| P. Anamby, S. Das , Distinguishing Hermitian cusp forms of degree 2 by a certain subset of all Fourier coefficients | 307–341 |
| F. Chamizo, C. Pastor , Lattice points in elliptic paraboloids .. | 343–360 |