THE ANNALS of STATISTICS

AN OFFICIAL JOURNAL OF THE INSTITUTE OF MATHEMATICAL STATISTICS

Articles

Two-step semiparametric empirical likelihood inference FRANCESCO BRAVO, JUAN CARLOS ESCANCIANO AND INGRID VAN KEILEGOM	1			
The phase transition for the existence of the maximum likelihood estimate in	•			
high-dimensional logistic regressionEMMANUEL J. CANDÈS AND PRAGYA SUR				
Rerandomization in 2^K factorial experiments				
XINRAN LI, PENG DING AND DONALD B. RUBIN	43			
Sparse SIR: Optimal rates and adaptive estimation Kai Tan, Lei Shi and Zhou Yu	64			
Robust sparse covariance estimation by thresholding Tyler's M-estimator JOHN GOES, GILAD LERMAN AND BOAZ NADLER	86			
Model assisted variable clustering: Minimax-optimal recovery and algorithms FLORENTINA BUNEA, CHRISTOPHE GIRAUD, XI LUO, MARTIN ROYER	111			
AND NICOLAS VERZELEN	111			
New G-formula for the sequential causal effect and blip effect of treatment in sequential causal inference	138			
Envelope-based sparse partial least squares	161			
Optimal rates for community estimation in the weighted stochastic block model MIN XU, VARUN JOG AND PO-LING LOH	183			
Adaptive risk bounds in univariate total variation denoising and trend filtering				
ADITYANAND GUNTUBOYINA, DONOVAN LIEU, SABYASACHI ČHATTERJEE AND BODHISATTVA SEN	205			
Spectral and matrix factorization methods for consistent community detection in multi-layer networks	230			
Statistical inference for model parameters in stochastic gradient descent XI CHEN, JASON D. LEE, XIN T. TONG AND YICHEN ZHANG	251			
Bootstrap confidence regions based on M-estimators under nonstandard conditions STEPHEN M. S. LEE AND PUYUDI YANG	274			
Sparse high-dimensional regression: Exact scalable algorithms and phase transitions DIMITRIS BERTSIMAS AND BART VAN PARYS	300			
Testing for principal component directions under weak identifiability DAVY PAINDAVEINE, JULIEN REMY AND THOMAS VERDEBOUT	324			
The multi-armed bandit problem: An efficient nonparametric	321			
solution	346			
Concentration and consistency results for canonical and curved exponential-family models of random graphs MICHAEL SCHWEINBERGER AND JONATHAN STEWART	374			
The numerical bootstrap	397			
Consistent selection of the number of change-points via sample-splitting CHANGLIANG ZOU, GUANGHUI WANG AND RUNZE LI	413			
Uniformly valid confidence intervals post-model-selection FRANÇOIS BACHOC, DAVID PREINERSTORFER AND LUKAS STEINBERGER	440			
Efficient estimation of linear functionals of principal components				
VLADIMIR KOLTCHINSKII, MATTHIAS LÖFFLER AND RICHARD NICKL	464			

Continued on back cover

THE ANNALS of STATISTICS

AN OFFICIAL JOURNAL OF THE INSTITUTE OF MATHEMATICAL STATISTICS

		Continued	C	c .	
Δ	rticies	I α ntinu $\rho\alpha$	trom	trant	COVIDY

Till tiletes Communea from from Cover	
Optimal prediction in the linearly transformed spiked model EDGAR DOBRIBAN, WILLIAM LEEB AND AMIT SINGER	491
Averages of unlabeled networks: Geometric characterization and asymptotic behavior ERIC D. KOLACZYK, LIZHEN LIN, STEVEN ROSENBERG, JACKSON WALTERS	
AND JIE XU	514
Markov equivalence of marginalized local independence graphs SØREN WENGEL MOGENSEN AND NIELS RICHARD HANSEN	539
Asymptotic genealogies of interacting particle systems with an application to sequential Monte CarloJERE KOSKELA, PAUL A. JENKINS, ADAM M. JOHANSEN AND DARIO SPANÒ	560
Almost sure uniqueness of a global minimum without convexity GREGORY COX	584
Penalized generalized empirical likelihood with a diverging number of general estimating equations for censored data	
Niansheng Tang, Xiaodong Yan and Xingqiu Zhao	607