

STATEMENT OF OWNERSHIP MANAGEMENT AND CIRCULATION <small>(Act of October 23, 1962; Section 4109, Title 39, United States Code)</small>		<small>Publisher: File two copies of this form with your postmaster. Postmaster: Complete verification on page 2.</small>	<small>Post-Approval, Refer to Form No. 48-8029</small>
1. DATE OF FILING		2. TITLE OF PUBLICATION <b>ANNALS OF MATHEMATICAL STATISTICS</b>	
3. FREQUENCY OF ISSUE <b>BI-MONTHLY</b>			
4. LOCATION OF HEADQUARTERS OR GENERAL BUSINESS OFFICE OF THE PUBLISHERS <small>(Not printer)</small> <b>Mount Royal &amp; Guilford Avenues Baltimore Maryland 21202</b>			
5. LOCATION OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICE OF THE PUBLISHERS <small>(Not printer)</small> <b>California State College, Hayward Hayward California 94542</b>			
6. NAMES AND ADDRESSES OF PUBLISHER, EDITOR, AND MANAGING EDITOR			
<small>PUBLISHER (Name and address)</small> <b>Waverly Press, Inc. Mt. Royal and Guilford Aves Baltimore, Md 21202</b>			
<small>EDITOR (Name and address)</small> <b>Ingram Oikin Sequoia Hall, Stanford University Stanford, Ca 94305</b>			
<small>MANAGING EDITOR (Name and address)</small> <b>K.J.C. Smith Dept. of Statistics Univ. of North Carolina Chapel Hill, NC 27514</b>			
7. OWNER <small>(If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given.)</small>			
<small>NAME</small> <b>Institute of Mathematical Statistics (Incorporated non-profit society)</b>		<small>ADDRESS</small> <b>Cal-State College, Hayward 25800 Hillway Street Hayward, California 94542</b>	
8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES <small>(If there are none, so state)</small>			
<small>NAME</small> <b>None</b>		<small>ADDRESS</small>	
9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES <small>(Section 132.122, Postal Manual)</small> <small>(Check one)</small> The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes: <input checked="" type="checkbox"/> Have not changed during preceding 12 months <input type="checkbox"/> Have changed during preceding 12 months <small>(If changed, publisher must submit explanation of change with this statement.)</small>			
10. EXTENT AND NATURE OF CIRCULATION		<small>AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS</small>	<small>ACTUAL NUMBER OF COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE</small>
A. TOTAL NO. COPIES PRINTED <small>(Net Press Run)</small>		<b>6026</b>	<b>6063</b>
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES		<b>None</b>	<b>None</b>
2. MAIL SUBSCRIPTIONS		<b>4848</b>	<b>4935</b>
C. TOTAL PAID CIRCULATION		<b>4848</b>	<b>4935</b>
D. FREE DISTRIBUTION <small>(including samples)</small> BY MAIL, CARRIER OR OTHER MEANS		<b>12</b>	<b>12</b>
E. TOTAL DISTRIBUTION <small>(Sum of C and D)</small>		<b>4848</b>	<b>4935</b>
F. OFFICE USE, LEFT-OVER, UNACCOUNTED, SPOILED AFTER PRINTING		<b>1178</b>	<b>1028</b>
G. TOTAL <small>(Sum of E &amp; F—should equal net press run shown in A)</small>		<b>6026</b>	<b>6063</b>
I certify that the statements made by me above are correct and complete.		<small>(Signature of editor, publisher, business manager, or owner)</small> <i>Henry J. Keenan</i>	



# STATISTICAL THEORY AND METHOD ABSTRACTS

A Journal of the International Statistical Institute

The object of this abstracting service is to cover published papers concerned with statistical theory, including relevant aspects of probability and mathematical methods, and new contributions to statistical method. These abstracts provide valuable information on new developments for studying problems in many fields: such as frequency distributions, estimating and testing problems, sampling and experimental designs, variance analysis, spectral theory and other methods in time-series analysis, queueing theory, reliability and acceptance inspection. Journals appearing in all parts of the world, on mathematics and statistics, or on other fields and possible contribution of interest are regularly scanned for suitable papers. Abstracts are also prepared from collections of papers such as reports of conferences, symposia and seminars; technical reports of experiment and research stations are covered.

The abstracts do not exceed 400 words, with occasional "double abstracts" for papers where this size is not sufficient to represent the paper. The language is English; the language of the original paper is indicated. The headings give the name and address of the author together with the Journal in which the paper is published; moreover, a note is added on the number of references, tables and figures.

The classification scheme which is used in this Journal supplies a division of all abstracts in twelve main sections. The pages of the Journal are colour-tinted in accordance with these main sections. Each section is further sub-divided to indicate the main topic of the paper; a secondary number denotes the most important additional topic referred to by the author. A special index in each part links together these two classifications. This scheme is arranged to facilitate transfer to punch cards. Papers containing new statistical tables are listed in a separate index.

The abstracts are numbered serially, the volume number being inserted as a prefix. The Journal is published four times a year and contains approximately 1,000 abstracts. An author index, the secondary classification index and the new statistical tables index are published in each issue and combined in a yearly supplement which also contains a list of all Journals represented in the volume by one or more abstracts.

<i>Annual Subscription</i>	£10.00 (U.S. \$30.00)
<i>Single Number</i>	£ 3.50 (U.S. \$ 9.00)
<i>Loose Leaf Binders for Single Abstract Sheets</i>	£ 1.00 including postage and packing.

**OLIVER AND BOYD**

33 Montgomery Street, Edinburgh, EH 75. JX. Scotland

## JOURNAL OF THE ROYAL STATISTICAL SOCIETY

THE JOURNAL OF THE ROYAL STATISTICAL SOCIETY is published in three series, **SERIES A (GENERAL)**, four issues a year, annual subscription, post free, £5 4s. U. S. \$15; price each part £2; **SERIES B (METHODOLOGICAL)**, three issues a year, annual subscription post free, £4 2s. U. S. \$12; price each part £2; **SERIES C (APPLIED STATISTICS)**, three issues a year, annual subscription £2; U. S. \$5, price each part 15s.

Reviews; Current Notes; Library Accessions

Contents of **SERIES B (METHODOLOGICAL)**, Vol. 32, No. 2, 1970

Estimation of the branch points of a branching diffusion process (with Discussion) A. W. F. EDWARDS  
Application of likelihood methods to models involving large numbers of parameters (with Discussion) J. D. KALBFLEISCH AND D. A. SPROTT  
Sampling with random stratum boundaries W. A. FULLER  
On asymptotic relative efficiencies of a class of rank tests J. L. GASTWIRTH  
A short cut in the fitting of autoregressive series W. D. RAY  
An accuracy criterion for Bayesian tolerance intervals R. G. EASTERLING AND D. L. WEEKS  
Convergent sequences of bounds for some parameters of a simple sequential test K. W. KEMP  
Some problems of fitting for contingency-type bivariate distributions K. V. MARDIA  
An alternative derivation of a result due to Srivastava and Bancroft B. C. ARNOLD  
On the representation of ignorance in Poisson processes A. M. HASOFER  
Multi-stage interval estimations of the largest mean of  $k$  normal populations YUNG LIANG TONG  
A simple problem with strikingly different frequentist and Bayesian solutions M. L. CHAMBERS  
Asymptotic properties of conditional maximum-likelihood estimators E. B. ANDERSEN  
Durbin's new multistage variance estimator K. R. W. BREWER AND M. HANIF  
The fitting of non-stationary time series models with time-dependent parameters T. SUBBA RAO

**The Royal Statistical Society 21, Bentinck Street, London, W. 1**

# REVIEW OF THE INTERNATIONAL STATISTICAL INSTITUTE

Contents of Vol. 39, No. 1, 1971

## Articles

- David, H. A., Six, F. B.—Sign distribution of standard multinormal variables with equal positive correlation.  
Pratschke, J. L.—Adjusted and unadjusted  $R^2$ —Further evidence from Irish data.  
Sorin, B.—La distribution combinatoire du nombre de différences premières positives.  
Sen, P. K.—Robust statistical procedures in problems of linear regression with special reference to quantitative bio-assays, I.  
Bartoszyński, R.—A note on subjective classifications.  
Kossack, C. F., Shiledar Baxi, H. R.—On designing of a unit-stratified survey design for a discrete set of observations.  
Shiledar Baxi, H. R.—A note on unit-stratified design.  
Hamdan, M. A., Tsokos, C. P.—A model for physical and biological problems: The bivariate-compounded Poisson distribution.  
Lancaster, H. O.—A bibliography of statistical bibliographies: a fourth list.

## Communications

Statistical organization and administration  
Statistical training and research  
Statistical societies

## Calendar of meetings

## Book reviews

The REVIEW OF THE ISI is published three times per year. The annual subscription is \$14 post free.  
Orders should be sent to: *International Statistical Institute, 2 Oostdijinlaan, The Hague, Netherlands.*

# TRABAJOS DE ESTADISTICA y de INVESTIGACION OPERATIVA

Review published by the "Instituto de Investigación Operativa y Estadística",  
Serrano, 123.-Madrid-6.-Spain.

VOL. XXI

CONTENTS

CUAD. 1 y 2

- A. F. TROCONIZ.—Contraste secuencial de la media de la distribución normal para cuestiones de supervivencia o fiabilidad.  
A. F. TROCONIZ.—Modelos matemáticos para los sistemas redundantes con elementos en paralelo con diversos niveles de cargas.  
A. VEGAS.—Modelos de integración.  
B. N. GUPTA.—A characterization of the normal distribution.  
R. FORTET.—Un modele general de systemes a attente.  
R. P. GUPTA and D. G. KABE.—The noncentral multivariate beta distribution in planar case.  
P. HERVE.—Les procedures arborescentes d'optimisation.  
P. HERVE.—Resolution des programmes lineaires a variables mixtes par la procédure S.E.P.  
S. D. DUBEY.—A statistical proof of a new inequality.  
J. K. WANI and D. G. KABE.—Generalized inverse and confidence estimation by least squares Method.  
NOTAS:  
J. M. ALVAREZ FUEYO.—Previsión por "suavizado exponencial" Método SAVOY.

Cronica

Bibliografia

Cuestiones

Ejercicios

TRABAJOS DE ESTADISTICA Y DE INVESTIGACION OPERATIVA is published three issues a year.  
Annual subscription price is U.S. \$6; each part U.S. \$2.50.

All correspondence should be addressed to Prof. Sixto Ríos, Serrano 123, Madrid-6.-Spain.

# THE INSTITUTE OF MATHEMATICAL STATISTICS

(Organized September 12, 1935)

## OFFICERS

### *President:*

William Kruskal, Department of Statistics, University of Chicago, Chicago, Illinois 60637

### *President-Elect:*

R. C. Bose, Department of Statistics, University of North Carolina, Chapel Hill, North Carolina 27514

### *Executive Secretary:*

Leo Katz, Statistical Laboratory, Michigan State University, East Lansing, Michigan 48823

### *Program Secretary:*

R. V. Hogg, Department of Statistics, University of Iowa, Iowa City, Iowa 52240

### *Treasurer:*

George J. Resnikoff, Department of Statistics, California State College, Hayward, California 94542

### *Editor:*

Ingram Olkin, Department of Statistics, Stanford University, Stanford, California 94305

### *Managing Editor:*

K. J. C. Smith, Department of Statistics, University of North Carolina, Chapel Hill, North Carolina 27514

The purpose of the Institute of Mathematical Statistics is to encourage the development, dissemination, and application of mathematical statistics.

Membership dues including a subscription to the ANNALS of MATHEMATICAL STATISTICS are \$20.00 per year for residents of the United States or Canada and \$12.00 per year for residents of other countries. Special student rates of \$10.00 per year are available to students residing in the U. S. and Canada. Inquiries regarding membership in the Institute should be sent to the Treasurer of the Institute.

Membership in the Institute of Mathematical Statistics is not required of authors of papers in the *Annals of Mathematical Statistics* and the fact of membership or non-membership is given no weight in the consideration of submitted manuscripts.

### **(Instructions for authors—continued)**

Authors are asked to keep in mind the typographical difficulties and high cost of printing complicated mathematical formulas. The difference between capital and lower-case letters should be clearly shown; care should be taken to avoid confusion between such pairs as zero and the letter O, the numeral 1 and the letter l, numeral 1 used as superscript and prime ('), alpha and  $\alpha$ , kappa and  $k$ , mu and  $\mu$ , nu and  $\nu$ , eta and  $\eta$ , etc. Bars above groups of letters (e.g.,  $\log \bar{x}$ ) and underlined letters (e.g.,  $\underline{x}$ ) are difficult to print and should be avoided;  $\liminf$  and  $\limsup$  are preferable to  $\underline{\lim}$  and  $\overline{\lim}$ . Symbols are automatically italicized by the printer and should not be underlined on manuscripts. Boldface letters may be indicated by underlining with a wavy line on the manuscript; boldface subscripts and superscripts are not available. Unusual accents on letters should be avoided or replaced by superscripts or subscripts. Complicated exponentials should be represented with the symbol exp. In writing square roots the fractional exponent is preferable to the radical sign. Fractions are preferably written with the solidus or negative exponent; thus  $(a + b)/(c + d)$  rather than  $\frac{a + b}{c + d}$ , and  $(2\pi)^{-1}$  rather than  $\frac{1}{2\pi}$ . In addition to decreasing the printing costs, a simple notation greatly improves the readability and appearance of a manuscript.

Authors will ordinarily receive only galley proofs. Fifty reprints without covers will be furnished free. Additional reprints and covers may be ordered at cost on forms which will be provided by the printer.

## Contents (Continued)

On the probability that a sample distribution function lies below a line segment	F. EICKER 2075
The capacity and ambiguity of a transducer	WILLIAM M. CONNER 2093
A Markov stopping problem for which no entry time is $\epsilon$ -optimal	HOWARD M. TAYLOR 2105
A characterization based on the absolute difference of two i.i.d. random variables	PREM S. PURI AND HERMAN RUBIN 2113
<b>Notes</b>	
Harmonic functions and hitting distributions for Markov processes	GORDON B. CRAWFORD 2123
Probabilistic techniques leading to a Valiron-type theorem in several complex variables	J. GOPALA KRISHNA 2126
An extension of the Hewitt-Savage zero-one law	SUSAN HORN AND SIEGFRIED SCHACH 2130
On averaging over distinct units in sampling with replacement	R. M. KORWAR AND R. J. SERFLING 2132
On the relation between Bahadur efficiency and power	RAMON C. LITTELL AND J. LEROY FOLKS 2135
A note on order statistics for heterogeneous distributions	PRANAB KUMAR SEN 2137
On some convergence properties of one-sample rank order statistics	PRANAB KUMAR SEN 2140
Asymptotic normality of random rank statistics	HIRA LAL KOUL 2144
Note on moments of a logistic order statistics	B. K. SHAH 2150
Establishing the positive definiteness of the sample covariance matrix	RICHARD L. DYKSTRA 2153
Reverse submartingale and some functions of order statistics	B. B. BHATTACHARYYA 2155
The Hartman-Wintner law of the iterated logarithm for martingales	WILLIAM F. STOUT 2158
On the departure from normality of a certain class of martingales	C. C. HEYDE AND B. M. BROWN 2161
On the supremum of $S_n/n$	B. J. McCABE AND L. A. SHEPP 2166
Maximum likelihood estimation of a unimodal density, II	EDWARD J. WEGMAN 2169
On the tail $\sigma$ -algebra of the finite inhomogeneous Markov chains	HARRY COHN 2175
A necessary condition for Glivenko-Cantelli convergence in $E_n$	JOHN DEHARDT 2177
On the first time $ S_n  > cn^{1/2}$	MICHAEL WOODROOFE 2179
A theorem on saturated plans and their complements	B. L. RAKTOE AND W. T. FEDERER 2184
<b>Correction Note</b>	
Correction to "The joint distribution of traces of Wishart matrices and some applications"	DONALD R. JENSEN 2186
Abstracts	2187
News and Notices	2191
Publications Received	2195

---