## CORRECTION TO

## AN APPLICATION OF FUNCTIONAL HIGHER OPERATION

## NOBORU YAMAMOTO

This Journal, vol. 2 (1965), 37-62 (Received March 25, 1966)

In the above titled paper, we defined a canonical chain complex. But the definition is incomplete and the following correction should be made.

From Line 1 bottom of p. 58 to Line 1 of p. 59 should be "is k-canonical for an integer  $k \ge 0$  if  $F_0$  consists of one Eilenberg-MacLane complex  $K(\pi,N)$ ,  $B_1$  is a cartesian product of  $\Omega^{-k-1}F_0$  and Eilenberg-MacLane complexes of dimension < N+k+1,  $B_{t+1}$  is a cartesian product of  $\Omega^{-kt}B_1$  and Eilenberg-MacLane complexes of dimension < N+k(t+1)+1 for  $1 \le t \le r-1$ , and there are canonical injections  $j_t: \Omega^{-kt}F_0 \to \Omega B_t$ ,  $j_t: \Omega^{-kt}B_1 \to B_{t+1}$  such that".

In Line 7 of Theorem 10.1 (i.e. Line 15 bottom of p. 59), "canonical" should read "k-canonical". In Lemma 11.1 (Line 16 bottom of p. 60) "canonical" should read "k-canonical with  $k = 2(p^i - 1)$ ".

EHIME UNIVERSITY