THE ANNALS of STATISTICS

AN OFFICIAL JOURNAL OF THE INSTITUTE OF MATHEMATICAL STATISTICS

Articles

On a goodness-of-fit test for multiplicative Poisson models AKE SVENSSON	697
Logistic regression diagnostics Daryl Pregibon	705
Asymptotic inference for eigenvectors DAVID E. TYLER	725
Optimum balanced block and Latin square designs for correlated observa-	
tions J. Keifer and H. P. Wynn	737
On the existence and uniqueness of the maximum likelihood estimate of	
a vector-valued parameter in fixed-size samples	
Timo Mäkeläinen, Klaus Schmidt and George P. H. Styan	758
Inner statistical inference II	768
A class of Schur procedures and minimax theory for subset selection	
Jan F. Bjørnstad	777
A new class of multivariate tests based on the union-intersection principle	
Ingram Olkin and Jack L. Tomsky	792
Posterior distribution of a Dirichlet process from quantal response data	
P. K. Bhattacharya	803
A complete class theorem for the control problem and further results on	
admissibility and inadmissibility ASAD ZAMAN	812
On distributions determined by random variables distributed over the	000
n-cube IAIN D. CURRIE	822
Bounded stopping times for a class of sequential Bayes tests	004
R. H. Berk, L. D. Brown and Arthur Cohen Admissibility in finite problems Glen Meeden and Malay Ghosh	834 846
Admissibility in finite problems GLEN MEEDEN AND MALAY GHOSH	853
Testing with replacement and the product limit estimator R. D. GILL	699
Pseudo maximum likelihood estimation: theory and applications GAIL GONG AND FRANCISCO J. SAMANIEGO	861
Estimating a bounded normal mean	001
George Casella and William E. Strawderman	870
On nonparametric measures of dependence for random variables	010
R Schweizer and E. F. Wolfer	879
B. Schweizer and E. F. Wolff Some E-optimal block designs Gregory M. Constantine	886
Some classes of optimality criteria and optimal designs for complete	000
two-way layouts	893
Short Communications	
Asymptotic normality of linear combinations of order statistics with a	
smooth score function David M. Mason	899
The Cauchy mean value property and linear functions of order statistics	
Sue Leurgans	905
Regression systems for which optimal extrapolation designs require	
exactly $k+1$ points PAUL G. HoEL	909
Linear transformations preserving best linear unbiased estimators in a	
general Gauss-Markoff model J. K. Baksalary and R. Kala	913
Relation of the best invariant predictor and the best unbiased predictor	
in location and cools families Vacuum AZU TAKADA	017

Vol. 9, No. 4—July 1981

THE INSTITUTE OF MATHEMATICAL STATISTICS

(Organized September 12, 1935)

The purpose of the Institute of Mathematical Statistics is to encourage the development, dissemination, and application of mathematical statistics.

OFFICERS

President:

Peter Bickel, Department of Statistics, University of California, Berkeley, California 94720

President-Elect:

Mark Kac, Rockefeller University, New York, New York 10021

Past President:

George E. P. Box, Department of Statistics, University of Wisconsin, 1210 W. Dayton St., Madison, Wisconsin 53706

Executive Secretary:

Martin Fox, Department of Statistics and Probability, Michigan State University, East Lansing, Michigan 48824

Treasurer:

Heebok Park, Department of Statistics, California State University, Hayward, California 94542

IMS Business Office, 3401 Investment Blvd., Suite 6, Hayward, California 94545

Program Secretary:

Richard Johnson, Department of Statistics, University of Wisconsin, 1210 West Dayton St., Madison, Wisconsin 53706

Editor: Annals of Statistics

David V. Hinkley, Department of Applied Statistics, University of Minnesota, St. Paul Campus, St. Paul, Minnesota 55108

Editor: Annals of Probability

Richard M. Dudley, Department of Mathematics Room 2-245, Massachusetts Institute of Technology, Cambridge, Massachusetts 02139

Managing Editor:

Jagdish S. Rustagi, Department of Statistics, The Ohio State University, Columbus, Ohio 43210

Membership. Membership dues including a subscription to one *Annals* and *The Institute of Mathematical Statistics Bulletin* are \$35.00 per year for all members. Special rates of \$16.00 are available to students. Rates in each category are one-fourth higher for members who wish both *Annals* as well as the *Bulletin*. Inquiries regarding membership in the Institute should be sent to the Treasurer at the Business Office.

Subscription Rates. Current volumes (six issues per calendar year) of the Annals of Probability are \$44.00. Current volumes (six issues per calendar year) of the Annals of Statistics are \$50.00. Members of the Institute of Mathematical Statistics pay different rates (see above). Single issues are \$8.00. Back numbers of both Annals and the Annals of Mathematical Statistics (Volume 1 through 43) may be purchased from the Treasurer.

The Annals of Statistics. Volume 9, Number 4, July 1981. Published bimonthly in January, March, May, July, September, and November by The Institute of Mathematical Statistics, IMS Business Office, 3401 Investment Blvd., Suite 6, Hayward, California 94545.

Mail to the Annals of Statistics should be addressed to either the Editor, Managing Editor or the Treasurer, as described above. It should not be addressed to Waverly Press.

EDITORIAL STAFF

EDITOR

DAVID V. HINKLEY

Associate Editors

RUDOLPH J. BERAN James O. Berger DONALD A. BERRY A. PHILIP DAWID MORRIS L. EATON

JOHN D. KALBFLEISCH BARRY H. MARGOLIN CARL N. MORRIS DONALD A. PIERCE JOHN RICE

> EDITORIAL ASSISTANT SHIRLEY KUSTER

BRIAN D. RIPLEY DAVID O. SIEGMUND WILLIAM E. STRAWDERMAN WILLIAM D. SUDDERTH CHIEN-FU WU

MANAGING EDITOR JAGDISH S. RUSTAGI

EDITORIAL ASSISTANTS

MARY FEAGLE SHERRILL

DOROTHY GARVIN TONJES

Past Editors

Annals of Mathematical Statistics

H. C. CARVER, 1930-1938 T. C. CARVER, 1500–1505 S. S. WILKS, 1938–1949 T. W. ANDERSON, 1950–1952 E. L. LEHMANN, 1953–1955 T. E. HARRIS, 1955–1958

William Kruskal, 1958-1961 J. L. Hodges, Jr., 1961-1964 D. L. Burkholder, 1964-1967 Z. W. BIRNBAUM, 1967-1970 INGRAM OLKIN, 1970-1972

Annals of Statistics Ingram Olkin, 1972-1973 I. R. SAVAGE, 1974-1976 RUPERT G. MILLER, JR., 1977-1979

Annals of Probability RONALD PYKE 1972-1975 PATRICK BILLINGSLEY 1976-1978

From August 15, 1980 to August 15, 1981, manuscripts should be sent to Professor David Hinkley at Department of Statistics, Stanford University, Stanford, CA 94305.

EDITORIAL POLICY

The main purpose of the Annals of Statistics and the Annals of Probability is to publish contributions to the theory of statistics and probability and to their applications. The emphasis is on importance and interest, not formal novelty and correctness. Especially appropriate are authoritative expository papers and surveys of areas in vigorous development. All papers are refereed.

IMS INSTITUTIONAL MEMBERS

AEROSPACE CORPORATION El Segundo, California

ARIZONA STATE UNIVERSITY Tempe, Arizona

Bell Telephone Laboratories, Technical Library Murray Hill, N.J.

BOWLING GREEN STATE UNIVERSITY, DEPT. OF MATHEMATICS Bowling Green, Ohio

CALIFORNIA STATE UNIVERSITY, FULLERTON, DEPARTMENT OF MATHEMATICS

CALIFORNIA STATE UNIVERSITY, HAYWARD, DEPARTMENT OF STATISTICS Hayward, California

Case Western Reserve University, De-PARTMENT OF MATHEMATICS Cleveland, Ohio

CORNELL UNIVERSITY, DEPARTMENT OF MATHEMATICS Ithaca, New York

FLORIDA STATE UNIVERSITY, DEPARTMENT OF STATISTICS Tallahassee, Florida

GENERAL MOTORS CORPORATION, RESEARCH LABORATORIES
Warren, Michigan

GEORGE WASHINGTON UNIVERSITY, DEPART-MENT OF STATISTICS Washington, D.C

Indiana University, Mathematics Dept. Bloomington, Indiana

INSTITUTE FOR DEFENSE ANALYSES Arlington, Virginia

INTERNATIONAL BUSINESS MACHINES CORPO-RATION Armonk, New York

IOWA STATE UNIVERSITY, STATISTICAL LABO-RATORY

Ames, Iowa

JOHNS HOPKINS UNIVERSITY, DEPARTMENT OF BIOSTATISTICS, DEPARTMENT OF MATHE-MATICAL SCIENCES

Baltimore, Maryland

KANSAS STATE UNIVERSITY, STATISTICS DE-PARTMENT Manhattan, Kansas

MARQUETTE UNIVERSITY, MATHEMATICS AND STATISTICS DEPARTMENT Milwaukee, Wisconsin

Massachusetts Institute of Technology MATHEMATICS DEPARTMENT Cambridge, Massachusetts

MIAMI UNIVERSITY, DEPARTMENT OF MATH-EMATICS Oxford, Ohio

MICHIGAN STATE UNIVERSITY, DEPARTMENT OF STATISTICS AND PROBABILITY East Lansing, Michigan

NATIONAL SECURITY AGENCY Fort George G. Meade, Maryland

NEW MEXICO STATE UNIVERSITY, DEPART-MENT OF MATHEMATICAL SCIENCES Las Cruces, New Mexico

NORTHERN ILLINOIS UNIVERSITY, DEPART-MENT OF MATHEMATICAL SCIENCES

NORTHWESTERN UNIVERSITY, DEPARTMENT OF MATHEMATICS Evanston, Illinois

OHIO STATE UNIVERSITY, DEPARTMENT OF STATISTICS Columbus, Ohio

OREGON STATE UNIVERSITY, DEPARTMENT OF STATISTICS Corvallis, Oregon

PENNSYLVANIA STATE UNIVERSITY, DEPART-MENT OF STATISTICS University Park, Pennsylvania

PRINCETON UNIVERSITY, DEPARTMENT OF STATISTICS Princeton, New Jersey

PURDUE UNIVERSITY LIBRARIES

QUEEN'S UNIVERSITY, DEPT. OF MATHEMATICS AND STATISTICS Kingston, Ontario, Canada

RICE UNIVERSITY, DEPARTMENT OF MATHE-MATICAL SCIENCES

Houston, Texas

THE ROCKEFELLER UNIVERSITY New York, New York

SANDIA CORPORATION, SANDIA BASE Albuquerque, New Mexico

SIMON FRASER UNIVERSITY, MATHEMATICS DEPARTMENT Burnaby, Canada

SOUTHERN ILLINOIS UNIVERSITY, MATHEMAT-ICAL STUDIES Edwardsville, Illinois

SOUTHERN METHODIST UNIVERSITY, DEPART-MENT OF STATISTICS
Dallas, Texas

STANFORD UNIVERSITY, GIRSHICK MEMORIAL LIBRARY Stanford, California

STATE UNIVERSITY OF NEW YORK, BUFFALO, DEPARTMENT OF STATISTICS Amherst, New York

TEMPLE UNIVERSITY, MATHEMATICS DEPART-MENT Philadelphia, Pa

TEXAS TECH UNIVERSITY, DEPARTMENT OF MATHEMATICS Lubbock, Texas 79409

THE TOBACCO INSTITUTE Washington, D.C.

Union Oil Company of California, Union RESEARCH CENTER Brea, California

University of Alberta, Department of MATHEMATICS

Edmonton, Alberta, Canada

University of Arizona, Department of MATHEMATICS AND COMMITTEE ON STA-TISTICS

Tucson, Arizona

University of British Columbia, Depart-MENT OF MATHEMATICS Vancouveer, B.C., Canada

University of Calgary, Mathematics De-PARTMENT

Calgary 44, Alberta, Canada

University of California, Berkeley, Sta-TISTICAL LABORATORY Berkeley, California

University of California, Davis, Division OF STATISTICS

Davis. California

University of Cincinnati, Department of MATHEMATICAL SCIENCES Cincinnati, Ohio

University of Guelph, Mathematics and STATISTICS DEPARTMENT

Guelph, Ontario, Canada

University of Illinois at Chicago Circle, DEPARTMENT OF MATHEMATICS Chicago, Illinois

University of Illinois, Mathematics Dept. Urbana, Illinois

University of Iowa, Division of Mathe-MATICAL SCIENCES

Iowa City, Iowa

University of Manitoba, Department of STATISTICS

Winnipeg, Manitoba, Canada

University of Maryland, Department of MATHEMATICS College Park, Maryland

University of Michigan, Department of STATISTICS Ann Arbor, Michigan

University of Minnesota, School of Sta-TISTICS

Minneapolis, Minnesota

University of Missouri, Department of STATISTICS

Columbia, Missouri

University of Missouri at Rolla, Depart-MENT OF MATHEMATICS Rolla, Missouri

University of Montreal, Department of MATHEMATICS

Montreal, Quebec, Canada

University of Nebraska, Mathematics AND STATISTICS DEPARTMENT Lincoln, Nebraska

University of New Mexico, Department OF MATHEMATICS AND STATISTICS Albuquerque, New Mexico

University of North Carolina, Depart-MENT OF STATISTICS Chapel Hill, North Carolina

University of Oregon, Mathematics De-PARTMENT Eugene, Oregon

University of Ottawa, Department of MATHEMATICS Ottawa, Ontario, Canada

University of South Carolina, Depart-MENT OF MATHEMATICS AND COMPUTER SCIENCE

Columbia, South Carolina

University of Texas, Department of MATHEMATICS Austin, Texas

University of Texas, Mathematics Dept. San Antonio, Texas

University of Utah, Dept. of Mathematics

UNIVERSITY OF VICTORIA, DEPT. OF MATHE-MATICS

Victoria, British Columbia, Canada

University of Virginia, Dept. of Mathe-MATICS Charlottesville, Virginia

University of Washington, Department OF MATHEMATICS Seattle, Washington

University of Waterloo, Statistics De-PARTMENT Waterloo, Ont., Canada

University of Wisconsin, Madison, De-PARTMENT OF STATISTICS Madison, Wisconsin

University of Wisconsin, Milwaukee, De-PARTMENT OF MATHEMATICS Milwaukee, Wisconsin

VIRGINIA COMMONWEALTH UNIVERSITY, DE-PARTMENT OF MATHEMATICAL SCIENCES Richmond, Virginia

WAYNE STATE UNIVERSITY, DEPARTMENT OF MATHEMATICS Detroit, Michigan

WEST CHESTER STATE COLLEGE West Chester, Pennsylvania

WESTINGHOUSE ELECTRIC CORPORATION, RE-SEARCH LABORATORIES Pittsburgh, Pennsylvania

THE ANNALS OF STATISTICS

INSTRUCTIONS FOR AUTHORS

Submission of Papers. Papers to be submitted for publication should be sent to the Editor of the Annals of Statistics. (For current address, see the latest issue of the Annals.) The original (or xerox copy) should be submitted with three additional copies on paper that will take ink corrections. The manuscript will not normally be returned to the author; when expressly requested by the author, one copy of the manuscript will be returned.

Preparation of Manuscripts. Manuscripts should be typewritten, entirely double-spaced, including references, with wide margins at sides, top and bottom. Dittoed or mimeographed papers are acceptable only if completely legible; xerox copies are preferable. When technical reports are submitted, all extraneous sheets and covers should be removed.

Submission of Reference Papers. Copies (preferably two) of unpublished or not easily available papers cited in the manuscript should be submitted with the manuscript.

Title and Abbreviated Title. The title should be descriptive and as concise as is feasible, i.e., it should indicate the topic of the paper as clearly as possible, but every word in it should be pertinent. An abbreviated title to be used as a running head is also required, and should be given below the main title. This should normally not exceed 35 characters. For example, a title might be "The Curvature of a Statistical Model, with Applications to Large-Sample Likelihood Methods," with the running head "Curvature of Statistical Model" or possibly "Asymptotics of Likelihood Methods," depending on the emphasis to be conveyed.

Summary. Each manuscript is required to contain a summary, which will be printed immediately after the title, clearly separated from the rest of the paper. Its main purpose is to inform the reader quickly of the nature and results of the paper; it may also be used as an aid in retrieving information. The length of a summary will clearly depend on the length and difficulty of the paper, but in general it should not exceed 150 words. It should be typed on a separate page, under the heading "Summary," followed by the title of the paper. Formulas should be used as sparingly as possible. The summary should not make reference to results or formulas in the body of the paper—it should be self-contained.

Footnotes. Footnotes should be reduced to a minimum and, where possible, should be replaced by remarks in the text or in the references; formulas in footnotes should be avoided. Footnotes in the text should be identified by superscript numbers and typed together, double-spaced, on a separate page.

Key Words. Included as the first footnote on page 1 should be the headings:

American Mathematical Society 1970 subject classifications. Primary –; Secondary – . Key words and phrases.

The classification numbers representing the primary and secondary subjects of the article may be found with instructions for its use, as an Appendix to Mathematical Reviews Index to Volume 39, June 1970. (See, also, The Notices of the American Mathematical Society, June 1970, Bulletin of the Institute of Mathematical Statistics, September 1974; or a current index issue of Mathematical Reviews.) The key words and phrases should describe the subject matter of the article; generally they should be taken from the body of the paper.

Identification of Symbols. Manuscripts for publication should be clearly prepared to insure that all symbols are properly identified. Distinguish between "oh" and "zero", "ell" and "one"; "epsilon" and "element of"; "kappa" and "kay," etc. Indicate also when special type is required (Greek, German, script, boldface, etc.); other letters will be set in italics. Acronyms should be introduced sparingly.

Figures and Tables. Figures, charts, and diagrams should be prepared in a form suitable for photographic reproduction and should be professionally drawn twice the size they are to be printed. (These need not be submitted until the paper has been accepted for publication.) Tables should be typed on separate pages with accompanying footnotes immediately below the table.

Formulas. Fractions in the text are preferably written with the solidus or negative exponent; thus,

$$(a + b)/(c + d)$$
 is preferred to $\frac{a+b}{c+d}$, and $(2\pi)^{-1}$ or

 $1/(2\pi)$ to $\frac{1}{2\pi}$ Also, $a^{b_{(c)}}$ and $a_{b_{(c)}}$ are preferred to $a^{b_{c}}$

and a_{b_c} , respectively. Complicated exponentials should be represented with the symbol exp. A fractional exponent is preferable to a radical sign.

References. References should be typed doublespaced and should follow the style:

Wilks, S.S. (1938). The large-sample distribution of the likelihood ratio for testing composite hypotheses. *Ann. Statist.* 1 60–62.

In textual material, the format "... Wilks (1938) ..." should be used. Multiple references can be distinguished as "... Wilks (1938a)..." Abbreviations for journals should be taken from a current index issue of *Mathematical Reviews*.

Proofs. Author will ordinarily receive galley proofs. Corrected galley proofs should be sent to the Managing Editor of the *Annals of Statistics*. (For current address, see the latest issue of the *Annals*.)