

## INSTRUCTIONS TO AUTHORS

### A. General

In upper right corner of title page **write by hand** "For CMP".

Manuscripts should be submitted in duplicate. They should preferably be written in English; papers in French or German are also accepted.

Manuscripts must be in their **final form**, typed on one side of each sheet only, with double spacing and wide margins. Formulae should be typewritten whenever possible. Mimeographed copies are not acceptable unless clearly legible.

Please include a "Note for the Printer" explaining markings used. See suggestion overleaf.

To speed up publication, authors will receive **only one set of proofs**: provisionally numbered page proofs. Authors are requested to **correct typographical errors only**; they will be charged for corrections involving changes, additions or deletions to the original manuscript.

**Diagrams** should be submitted on separate sheets, not included in the text. They should be drawn in Indian ink in clean uniform lines, the whole about twice the size of the finished illustration. Inscriptions should allow for the figure 1, for example, to be about 2 mm high in the final version (i.e. 4 mm for reduction  $\times \frac{1}{2}$ ). The author should mark in the margin of the manuscript where diagrams may be inserted.

**Footnotes**, other than those which refer to the title heading, should be numbered consecutively and placed at the foot of the page to which they refer (not at the end of the article).

Please give on the first page of the manuscript a **running head** (condensed title), which should not exceed 70 letters including spaces.

**References** to the literature should be listed at the end of the manuscript. The following information should be provided for **journal articles**: names and initials of all authors, name of the journal, volume, first and last page numbers and year of publication. References to **books** should include name(s) of author(s), full title, edition, place of publication, publisher and year of publication.

### Examples

Bombieri, E., Giusti, E.: Inventiones math. **15**, 24–46 (1971)

Tate, J. T.: *p*-Divisible groups. In: Proceedings of a conference on local fields, pp. 158–183. Berlin, Heidelberg, New York: Springer 1967

Authors of this journal can benefit from library and photocopy fees collected by VG WORT if certain conditions are met. If an author lives in the Federal Republic of Germany or in West Berlin, it is recommended that he contact Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestrasse 49, D-8000 München 2, for detailed information.

## B. Marking

### 1. Text

The words “**Theorem**”, “**Lemma**”, “**Corollary**”, “**Proposition**” etc. are normally printed in **boldface**, followed by the formulation in italics (to be underlined in the manuscript).

The words “*Proof*”, “*Remark*”, “*Definition*”, “*Note*” etc. are printed in *italics* with the formulation in ordinary typeface.

Words or sentences to be set in italics should be marked by single underlining.

### 2. Formulae

Letters in formulae are normally printed in italics, figures in ordinary typeface.

It will help the printer if in doubtful cases the position of indices and exponents is marked thus:  $b_{\hat{J}}$ ,  $a^{\hat{V}}$ . Spacing of indices and exponents must be specially indicated ( $A_m{}^n{}_n{}^m$ ) otherwise they will be set ( $A_m^{nm}$ ).

Underlining for special alphabets and typefaces should be done according to the following code:

single underlining:	small letter
double underlining:	capital letter
brown:	boldface headings, boldface letters in formulae
yellow:	upright
red:	(abbreviations e.g. Re, Im, log, sin, ord, id, lim, sup, etc.)
blue:	Greek
green:	Gothic
purple:	Script
violet:	the numeral 1, and zero (to distinguish them from the small letter <i>l</i> and the capital letter <i>O</i> )

The following are frequently confused:

$\cup$ ,  $\mathbf{u}$ ,  $\mathbf{U}$ ;  $\circ$ ,  $o$ ,  $O$ ,  $0$ ;  $\times$ ,  $x$ ,  $X$ ,  $\kappa$ ;  $\vee$ ,  $v$ ,  $V$ ;  $\theta$ ,  $\Theta$ ,  $\phi$ ,  $\varphi$ ,  $\Phi$ ,  $\emptyset$ ;  $\psi$ ,  $\Psi$ ;  $\varepsilon$ ,  $\epsilon$ ;

$a'$ ,  $a^1$ ; the symbol *a* and the indefinite article *a*;

also the handwritten Roman letters:

$\epsilon$ ,  $C$ ;  $e$ ,  $l$ ;  $I$ ,  $J$ ;  $k$ ,  $K$ ;  $o$ ,  $O$ ;  $p$ ,  $P$ ;  $s$ ,  $S$ ;  $u$ ,  $U$ ;  $v$ ,  $V$ ;  $w$ ,  $W$ ;  $x$ ,  $X$ ;  $z$ ,  $Z$ ;

Please take care to distinguish them in some way.

## C. Examples

### 1. Special alphabets or typefaces

Script	$\mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}, \mathcal{E}, \mathcal{F}, \mathcal{G}, \mathcal{H}, \mathcal{I}, \mathcal{J}, \mathcal{K}, \mathcal{L}, \mathcal{M}, \mathcal{N}, \mathcal{O}, \mathcal{P}, \mathcal{Q}, \mathcal{R}, \mathcal{S}, \mathcal{T}, \mathcal{U}, \mathcal{V}, \mathcal{W}, \mathcal{X}, \mathcal{Y}, \mathcal{Z}$
$a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$	
Sanserif	$\mathbf{A}, \mathbf{B}, \mathbf{C}, \mathbf{D}, \mathbf{E}, \mathbf{F}, \mathbf{G}, \mathbf{H}, \mathbf{I}, \mathbf{J}, \mathbf{K}, \mathbf{L}, \mathbf{M}, \mathbf{N}, \mathbf{O}, \mathbf{P}, \mathbf{Q}, \mathbf{R}, \mathbf{S}, \mathbf{T}, \mathbf{U}, \mathbf{V}, \mathbf{W}, \mathbf{X}, \mathbf{Y}, \mathbf{Z}$
$a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$	
Gothic	$\mathfrak{A}, \mathfrak{B}, \mathfrak{C}, \mathfrak{D}, \mathfrak{E}, \mathfrak{F}, \mathfrak{G}, \mathfrak{H}, \mathfrak{I}, \mathfrak{J}, \mathfrak{K}, \mathfrak{L}, \mathfrak{M}, \mathfrak{N}, \mathfrak{O}, \mathfrak{P}, \mathfrak{Q}, \mathfrak{R}, \mathfrak{S}, \mathfrak{T}, \mathfrak{U}, \mathfrak{V}, \mathfrak{W}, \mathfrak{X}, \mathfrak{Y}, \mathfrak{Z}$
$a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$	
Boldface	$\mathbf{A}, \mathbf{B}, \mathbf{C}, \mathbf{D}, \mathbf{E}, \mathbf{F}, \mathbf{G}, \mathbf{H}, \mathbf{I}, \mathbf{J}, \mathbf{K}, \mathbf{L}, \mathbf{M}, \mathbf{N}, \mathbf{O}, \mathbf{P}, \mathbf{Q}, \mathbf{R}, \mathbf{S}, \mathbf{T}, \mathbf{U}, \mathbf{V}, \mathbf{W}, \mathbf{X}, \mathbf{Y}, \mathbf{Z}$
$a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$	
Special Roman	$\mathbb{A}, \mathbb{B}, \mathbb{C}, \mathbb{D}, \mathbb{E}, \mathbb{F}, \mathbb{G}, \mathbb{H}, \mathbb{I}, \mathbb{J}, \mathbb{K}, \mathbb{L}, \mathbb{M}, \mathbb{N}, \mathbb{O}, \mathbb{P}, \mathbb{Q}, \mathbb{R}, \mathbb{S}, \mathbb{T}, \mathbb{U}, \mathbb{V}, \mathbb{W}, \mathbb{X}, \mathbb{Y}, \mathbb{Z}, \mathbb{1}$
Greek	$\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega$
	$\alpha, \beta, \gamma, \delta, \epsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \lambda, \mu, \nu, \xi, \sigma, \pi, \rho, \sigma, \tau, \upsilon, \varphi, \phi, \chi, \psi, \omega$

### 2. Notations

preferred form	instead of	preferred form	instead of
$A^*, \tilde{b}, \gamma', v$	$\bar{A}, \hat{b}, \check{\gamma}, \ddot{v}$	$f: A \rightarrow B$	$A \xrightarrow{f} B$
lim sup, lim inf	$\overline{\lim}, \underline{\lim}$		
inj lim, proj lim	$\varinjlim, \varprojlim$		$\cos \frac{1}{x}$
$\exp(-(x^2 + v^2)/a^2)$	$e^{-\frac{x^2 + v^2}{a^2}}$	$\frac{\cos(1/x)}{(a+b/x)^{1/2}}$	$\sqrt[a+b/x]{b}$
$f^{-1}$	$\frac{-1}{f}$		

# Lecture Notes in Physics

Editors: J. Ehlers, K. Hepp, R. Kippenhahn,  
H.J.A. Weidenmüller, J. Zittartz  
Managing Editor: W. Beiglböck

## New Volumes

### Volume 97

L.P. HUGHSTON

#### Twistors and Particles

The theory of twistors has given rise to a new and highly successful approach to the structure and classification of elementary particles by providing a mathematical structure unifying the real continuum of relativistic space-time and the complex continuum used in the quantum theory of particles. This volume concisely outlines twistor theory and provides a detailed exposition of its applications to elementary particle physics. In particular, a new theory of hadrons and hadron resonances is introduced, based on the properties of holomorphic functions of several twistors. The volume also contains an account of the methods of algebraic geometry and sheaf cohomology, written in a language intended both for physicists and mathematicians. The book concludes with a consideration of the further development of twistor theory. Mathematicians and theoretical physicists alike will find this work an important survey of a new and influential field of research.

**Contents:** Introductory Remarks. – Aspects of the Geometry of Twistor Space. – Massive Systems and Their Internal Symmetries. – Twistor Quantization: Zero Rest Mass Fields. – Twistor Quantization: Massive Fields. – The Low-Lying Baryons. – Mesons, Resonances, and Bound States. – Leptons and Weak Interactions. – Sheaves and Cohomology. – Applications of Complex Manifold Techniques to Elementary Particle Physics. – References. – Index.

1979. 1 figure, 9 tables. VIII, 153 pages,  
DM 21.50; approx. US \$ 11.90  
ISBN 3-540-09244-7

### Volume 98

#### Nonlinear Problems in Theoretical Physics

Proceedings of the IX G.I.F.T. International Seminar on Theoretical Physics, Held at Jaca, Huesca (Spain), June 1978

Editor: A.F. Rañada

**Contents:** A.O. Barut, Nonlinear Problems in Classical and Quantumelectrodynamics. – I. Bialynicki-Birula, On the Stability of Solitons. – F. Calogero, Spectral Transform and Nonlinear Evolution Equations. –

A. Degasperis, Spectral Transform and Solvability of Nonlinear Evolution Equations. – D. Levi, The Spectral Transform as a Tool for Solving Nonlinear Discrete Evolution Equations. – C.M. Dafermos, Hyperbolic Balance Laws in Continuum Physics. – W. Strauss, Mathematical Aspects of Classical Nonlinear Field Equations. – J. Gutierrez, A. Munier, J.R. Burgan, M.R. Feix, E. Fjällkow, Nonlinear Transport Equations: Properties Deduced Through Transformation Groups. – C. Montes, Nonlinear Kinetic Equation in Plasma Physics Leading to Soliton Structures. –

1979. 16 figures, 1 table. X, 216 pages.  
DM 25,-; approx. US \$ 13.80  
ISBN 3-540-09246-3

### Volume 99

M. DRIESCHNER

#### Vorausse – Wahrscheinlichkeit – Objekt

Über die begrifflichen Grundlagen der Quantenmechanik  
Dieser Band enthält eine Analyse der Quantenmechanik als allgemeiner Theorie von Objekten. Die Überlegungen sind aus der Schule C.F.v. Weizsäckers hervorgegangen; das Schwergewicht der Untersuchungen liegt nicht auf dem mathematischen Teil, sondern auf den Interpretationsfragen: Es wird zunächst erörtert, was eine objektive Theorie der Wirklichkeit leisten soll und kann; daraus werden Grundregeln für solche Theorien entwickelt, die schließlich, mathematisch formalisiert, als Axiome für die mathematische Struktur der Quantenmechanik dienen.

Die Analyse des Theoriebegriffs ergibt zunächst die grundlegende Bedeutung der zeitlichen Struktur: Die Voraussagemöglichkeit wird als konstituierender Bestandteil der Theorie und Fundament weiterer Erörterungen aufgefaßt. Auf dieser Grundlage wird der Begriff der Wahrscheinlichkeit in der naturwissenschaftlichen Anwendung erörtert; die Erklärung von Wahrscheinlichkeit als „vorausgesagte relative Häufigkeit“ läßt alte Probleme in einem neuen Licht erscheinen. Die Quantenmechanik wird in einem verbandstheoretischen Aufbau eingeführt, und zwar als besondere Wahrscheinlichkeitstheorie, unterschieden von klassischen Theorien durch ihren prinzipiellen Indeterminismus. Ihre alten Interpretationsprobleme klären sich in diesem neuen Zusammenhang.

Das Buch wendet sich an philosophisch und naturwissenschaftlich interessierte Leser, die schon eine gewisse Vertrautheit mit der Materie besitzen; es läßt sich aber auch als Einführung in die Probleme verwenden. Der Hauptteil ist auch für nicht mathematisch Geschulte lesbar; stärker formulierte Argumente bilden einen Anhang.

1979. 8 Abbildungen, 3 Tabellen.  
XI, 308 Seiten.  
DM 32,-; approx. US \$ 17.60  
ISBN 3-540-09248-X

### Volume 101

A. MARTIN-LÖF

#### Statistical Mechanics and the Foundations of Thermodynamics

This is an unusual and very modern introduction to the physical and mathematical aspects of classical statistical mechanics, emphasizing equilibrium systems. The presentation is based on the maximum entropy principles, and recent results on the thermodynamic limit of various thermodynamic functions are used extensively. In this way it is possible to give a logically satisfactory and unified treatment of the foundations of thermodynamics and to provide a clear understanding of the role of entropy in measuring both heat and probability.

**Contents:** Introduction. – Statistical description of systems in classical mechanics. – Study of equilibrium distribution: The microcanonical distribution. The canonical distribution. The grand canonical distribution. – The law of large numbers for macroscopic variables and the foundations of thermodynamics. General study of the probability laws of macrovariables. Derivation of the basic laws of thermodynamics. Some other uses of the concept of entropy. Proof of the fundamental asymptotic properties of the structure measure in the thermodynamic limit. The central limit theorem for macroscopic variables, thermodynamic fluctuation theory. – References.

1979. V, 120 pages.  
DM 18,-; approx. US \$ 9.90  
ISBN 3-540-09255-2

### Volume 102

H. HORA

#### Nonlinear Plasma Dynamics at Laser Irradiation

Notes from lectures presented during the winter semester 1978/79 at the Department of Laser Physics, Inst. Appl. Phys., University Berne, Switzerland, written under editorial assistance of P. Schwarzenbach

This monograph is an introduction to the theoretical aspects of nonlinear dynamic processes in the interaction between intense laser radiation and plasma, including nonlinear forces and nonlinear optical response. The book covers a large body of recent experimental and theoretical results (300 citations). It stresses established knowledge, but also touches on divergent and controversial results.

1979. 89 figures. VIII, 242 pages.  
DM 25,-; approx. US \$ 13.80  
ISBN 3-540-09502-0

Springer-Verlag  
Berlin  
Heidelberg  
New York



Communications in

# Mathematical Physics

Chief Editor A. Jaffe, Cambridge, MA

Editorial Board H. Araki, Kyoto  
E. Brézin, Saclay  
R. Geroch, Chicago, IL  
J. Ginibre, Orsay  
J. Glimm, New York, NY  
R. Haag, Hamburg  
J. L. Lebowitz, New Brunswick, NJ  
E. Lieb, Princeton, NJ  
J. Moser, New York, NY  
K. Osterwalder, Zürich  
D. Ruelle, Bures-sur-Yvette  
B. Simon, Princeton, NJ  
Ya. G. Sinai, Moscow  
R. Stora, Geneva

Advisory Board M. F. Atiyah, Oxford  
G. 't Hooft, Utrecht  
C. N. Yang, Stony Brook, NY

Responsible for advertisements

Springer-Verlag  
Printers  
Printed in Germany

L. Siegel, Kurfürstendamm 237, D-1000 Berlin 15  
Telephone: (030) 8821031, Telex 01-85411  
Berlin Heidelberg New York  
Brühlsche Universitätsdruckerei, Gießen  
© by Springer-Verlag Berlin Heidelberg 1979