

A. General

In upper right corner of title page **write by hand** "For CMP".

Manuscripts should be submitted in duplicate. They should preferably be written in English; papers in French or German are also accepted.

Manuscripts must be in their **final form**, typed on one side of each sheet only, with double spacing and wide margins. Formulae should be typewritten whenever possible. Mimeographed copies are not acceptable unless clearly legible.

Please include a "Note for the Printer" explaining markings used. See suggestion overleaf.

To speed up publication, authors will receive **only one set of proofs**: provisionally numbered page proofs. Authors are requested to **correct typographical errors only**; they will be charged for corrections involving changes, additions or deletions to the original manuscript.

Equations should be typewritten whenever possible. Even if you use a sophisticated typewriter, some parts of your manuscript will have to be marked to avoid misunderstandings and mistakes. If there is no difference in size, special attention should be given to the placing of subscripts and superscripts so that they are recognizable as such. Please avoid multilevel formulas, subscripts, or superscripts, whenever possible (see overleaf).

Diagrams should be submitted on separate sheets, not included in the text. They should be drawn in Indian ink in clean uniform lines, the whole about twice the size of the finished illustration. Inscriptions should allow for the figure 1, for example, to be about 2 mm high in the final version (i.e. 4 mm for reduction $\times \frac{1}{2}$). The author should mark in the margin of the manuscript where diagrams may be inserted.

Footnotes, other than those which refer to the title heading, should be numbered consequently and placed at the foot of the page to which they refer (not at the end of the article).

Please give on the first page of the manuscript a **running head** (condensed title), which should not exceed 70 letters including spaces.

References to the literature should be listed at the end of the manuscript. The following information should be provided for **journal articles**: names and initials of all authors, name of the journal, volume, first and last page numbers and year of publication. It is suggested that authors give complete titles of articles referred to. References to **books** should include name(s) of author(s), full title, edition, place of publication, publisher and year of publication.

Examples

Haag, R., Swieca, J.A.: When does a quantum field theory describe particles?
Commun. Math. Phys. **1**, 308–320 (1965)

Glimm, J., Jaffe, A.: Quantum physics. A functional integral point of view. Berlin,
Heidelberg, New York: Springer 1981

B. Marking

1. Text

The words "Theorem", "Lemma", "Corollary", "Proposition" etc. are normally printed in **boldface**, followed by the formulation in italics (to be underlined by the author in the manuscript).

The words "Proof", "Remark", "Definition", "Note" etc. are printed in italics with the formulation in ordinary typeface.

Words or sentences to be set in italics should be marked by single underlining.

2. Formulas

Letters in formulas are normally printed in italics, figures in ordinary typeface.

It will help the printer if in doubtful cases the position of indices and exponents is marked thus: b_j^i, a^j . Spacing of indices and exponents must be specially indicated (A_m^n) otherwise they will be set (A_{mn}^{nm}).

Underlining for special alphabets and typefaces should be done according to the following code:

single underlining:	small letter
double underlining:	capital letter
brown:	boldface headings, boldface letters in formulas
yellow:	upright (abbreviations e.g. Rc, Im, log, sin, ord, id, lim, sup, etc.)
red:	Greek
blue:	Gothic
green:	Script
violet:	the numeral 1, and zero (to distinguish them from the small letter <i>l</i> and the capital letter <i>O</i>)
orange:	Special Roman

The following are frequently confused:

\cup, u, \bigcup, U ; $\circ, o, O, 0$; \times, x, X, κ ; \vee, v, v ; $\theta, \Theta, \phi, \varphi, \Phi, \theta$; ψ, Ψ ; ε, ϵ ;

a', a^1 ; the symbol a and the indefinite article a ;

also the handwritten Roman letters:

c, C ; e, l ; I, J ; k, K ; o, O ; p, P ; s, S ; u, U ; v, V ; w, W ; x, X ; z, Z ;

Please take care to distinguish them in some way.

C. Examples

1. Special alphabets or typefaces

Script	<i>A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z</i> <i>a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z</i>
Sanserif	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Gothic	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Boldface	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Special Roman	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, 1
Greek	$\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega$ $\alpha, \beta, \gamma, \delta, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \lambda, \mu, \nu, \xi, \omicron, \pi, \rho, \sigma, \tau, \upsilon, \varphi, \phi, \chi, \psi, \omega$

2. Notations

preferred form	instead of	preferred form	instead of
$A^*, \tilde{b}, \gamma', \nu$	$\bar{A}, \tilde{b}, \tilde{\gamma}, \tilde{\nu}$	$f: A \rightarrow B$	$A \xrightarrow{f} B$
lim sup, lim inf	$\overline{\lim}, \underline{\lim}$		
inj lim, proj lim	$\underline{\lim}, \overline{\lim}$		
$\exp(-(x^2 + v^2)/a^2)$	$e^{-\frac{x^2 + v^2}{a^2}}$	$\frac{\cos(1/x)}{(a+b/x)^{1/2}}$	$\frac{\cos \frac{1}{x}}{\sqrt{a + \frac{b}{x}}}$
f^{-1}	f^{-1}		

Authors of this journal can benefit from library and photocopy fees collected by VG WORT if certain conditions are met. If an author lives in the Federal Republic of Germany or in West Berlin, it is recommended that he contact Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestrasse 49, D-8000 München 2, for detailed information.

Problem Books in Mathematics

Series Editor: **P. R. Halmos**

N. Keyfitz, J. A. Beekman

Demography through Problems

1983. 26 figures. Approx. 240 pages
Cloth DM 78,-; approx. US \$ 31.00
ISBN 3-540-90836-6

Contents: Projections That Are Not Age-Dependent. – The Life Table. – Uses of Stable Theory. – Birth and Deaths Under Stability. – Projection and Forecasting. – Kinship. – Stochastic Population Models. – Birth and Conception. – Spatial Aspects of Population. – Further Life Table Topics. – Numerical Methods. – Brief List of References.

D. J. Newman

A Problem Seminar

1982. VII, 113 pages
Cloth DM 35,-; approx. US \$ 13.90
ISBN 3-540-90765-3

Contents: Format. – Problems: Estimation Theory. – Generating Functions. – Limits of Integrals. – Expectations. – Prime Factors. – Category Arguments. – Convexity. – Hints. – Solutions.

A. A. Kirillov, A. D. Gvishiani

Theorems and Problems in Functional Analysis

Translated from the Russian by
H. H. McFaden
1982. 6 figures. IX, 347 pages
Cloth DM 98,-; approx. US \$ 38.90
ISBN 3-540-90638-X

Contents: Concepts from Set Theory and Topology. – Theory of Measures and Integrals. – Linear Topological Spaces and Linear Operators. – The Fourier Transformation and Elements of Harmonic Analysis. – The Spectral Theory of Operators. – List of Notation. – Bibliography. – Subject Index.

B. Gelbaum

Problems in Analysis

1982. 9 figures. VII, 228 pages
Cloth DM 74,-; approx. US \$ 29.40
ISBN 3-540-90692-4

Contents: Set Algebra. – Topology. – Limits. – Continuous functions. – Functions from \mathbb{R}^n to \mathbb{R}^m . – Measure and topology. – General measure theory. – Measures in \mathbb{R}^n . – Lebesgue measure in \mathbb{R}^n . – $L^1(X, \mu)$. – $L^2(X, \mu)$ or \mathcal{H} (Hilbert space). – $L^p(X, \mu)$, $1 \leq p \leq \infty$. – Topological Vector spaces. – Miscellaneous problems. – Bibliography. – Glossary of symbols. – Index/Glossary.



Springer-Verlag Berlin Heidelberg New York Tokyo

Tiergartenstr. 17, D-6900 Heidelberg 1, or 175 Fifth Ave., New York, NY 10010, USA,
oder 37-3, Hongo 3-chome, Bunkyo-ku, Tokyo 113, Japan

7063/5/1

For
mathematicians
with style

The Mathematical Intelligencer

Editor-in-Chief: John Ewing, Department of Mathematics,
Indiana University, Bloomington, IN 47405, USA

European Editor: Ian Stewart, Mathematics Institute,
University of Warwick, Coventry CV4 7AL, England

Book Review Editor: Gary Cornell, Department of Mathe-
matics, University of Connecticut, Storrs, CT 06268, USA
(together with Ian Stewart)

The Mathematical Intelligencer is the magazine with style for mathematicians with style. Its lively and informal articles interest readers on different levels and often discuss a past fad or current rage, people or theorems, philosophy or history. Readers particularly enjoy the **Intelligencer's** fresh approach to mathematics as a homogeneous subject and use it as a forum for ideas that often don't quite fit into other mathematical journals.



Springer-Verlag
Berlin
Heidelberg
New York
Tokyo

Tiergartenstr. 17, D-6900 Heidelberg 1
175 Fifth Ave., New York, NY 10010, USA
37-3, Hongo 3-chome, Bunkyo-ku, Tokyo 113, Japan

Selected contents of recent issues:

C. Smorynski: Mathematics as a Cultural System
Peter M. Gruber: Seven Small Pearls from Convexity
Underwood Dudley: What to Do When the Trisector Comes
S. G. Gindikin: The Complex Universe of Roger Penrose
V. S. Varadarajan: Mathematics In and Out of Indian
Universities
Mary Coughlin: Mathematics Rooted in Mystery
Quinbus Flestrin: On Mountain Tracks and Motorways, Men
and Mandarins

Subscription Information:

ISSN 0343-6993 Title No. 283
1984, Vol. 6 (4 issues):
DM 49,- (approx. US \$ 18.00), plus carriage charges.

10.026/5/1

Texts and Monographs in Physics

Editors: W. Beiglböck, E. H. Lieb, T. Regge, W. Thirring

R. M. Santilli Foundations of Theoretical Mechanics I

The Inverse Problem in Newtonian Mechanics

1978. 5 figures. IX, 266 pages
Cloth DM 72,-; approx. US \$ 29.80. ISBN 3-540-08874-1

This is the first volume of the most complete text ever written on the methodological foundations of mechanics laid down by Lagrange, Hamilton, and others. It begins with the study of the necessary and sufficient conditions for the existence of a Lagrangian or a Hamiltonian presentation of given equations of motion with arbitrary, i. e., not necessarily conservative, forces. The construction of the said Lagrangian or Hamiltonian is described for each system in question. This is followed by an analysis of other aspects of Newtonian mechanics such as transformation theory, symmetry and first integrals of nonconservative systems. The book not only covers the classical work of the last two centuries but also contains many contributions from the author's own research in the field. The text is recommended to graduate students in physics.

R. M. Santilli Foundations of Theoretical Mechanics II

Birkhoffian Generalization of Hamiltonian Mechanics

1983. XIX, 370 pages
Cloth DM 150,-; approx. US \$ 62.00. ISBN 3-540-09482-2

The author of this volume shows that all sufficiently regular Newtonian systems, whether conservative or not, can be treated via conventional variational principles, Lie algebra techniques and methods from symplectic geometry. Contrary to the simpler systems usually described in textbooks on classical mechanics, these lead to a generalization of the usual Hamiltonian equations of analytic mechanics; the author calls them Birkhoffian. The author shows for the first time the most general and complete answer to the inverse problem, deals with the transformation theory, and gives numerous applications in physics, chemistry and engineering.

The book was written not only for students of mechanics, but also for those who wish to apply the principles of mechanics to realistic and therefore typically nonconservative systems.



Springer-Verlag
Berlin
Heidelberg
New York
Tokyo

Tiergartenstr. 17, D-6900 Heidelberg 1
175 Fifth Ave., New York, NY 10010
37-3, Hongo 3-chome, yBunkyo-ku, Tokyo 113, Japan

6848/5/1a

Communications in
**Mathematical
Physics**

Chief Editor A. Jaffe, Cambridge, MA

Editorial Board H. Araki, Kyoto
J. Fröhlich, Zürich
R. Haag, Hamburg
S. Hawking, Cambridge
O. Lanford, Bures-sur-Yvette
J. Lascoux, Palaiseau
J. L. Lebowitz, New Brunswick, NJ
G. Mack, Hamburg
J. Mather, Princeton, NJ
L. Nirenberg, New York, NY
K. Osterwalder, Zürich
B. Simon, Pasadena, CA
Ya. G. Sinai, Moscow
T. Spencer, New York, NY
R. Stora, Geneva
S.-T. Yau, Princeton, NJ

Advisory Board M. F. Atiyah, Oxford
A. Connes, Bures-sur-Yvette
G. 't Hooft, Utrecht
I. Singer, Berkeley, CA
C. N. Yang, Stony Brook, NY

Responsible for Advertisements

Springer-Verlag
Printers:
Printed in Germany

E. Lückermann, G. Sternberg, Kurfürstendamm 237, D-1000 Berlin
Telephone: (0 30) 8 82 10 31, Telex 01-85 411
Berlin Heidelberg New York Tokyo
Brühlsche Universitätsdruckerei, Giessen
© Springer-Verlag GmbH & Co KG Berlin Heidelberg 1983
Das Heft enthält eine Beilage des Springer-Verlages
Berlin Heidelberg New York Tokyo